

AMERICAN CINEMATOGRAPHER

The Motion Picture CAMERA Magazine

December 1933

PRICE 25c

Published in Hollywood
by the
American Society of
Cinematographers

this issue

Infra Red Photography
Systematized Minature Development
Photography of the Month
... and other features

for the amateur

1933 Amateur Medal Winners
Mechanics of 16mm Titles
One, Two, Three of Indoor Lighting
Backyard Continuity
... and other features



*In Bright Sunlight or Deep Shadow . . .
Under Incandescent or Arc Light*



REG. U. S. PAT. OFF.

**PANCHROMATIC
NEGATIVE**

*Will Give a Better Result Than
Is Otherwise Obtainable*

The



REG. U. S. PAT. OFF.

trade - mark has never been
placed on an inferior product.

SMITH & ALLER, Ltd.

6656 Santa Monica Boulevard
HOLLYWOOD, :: :: :: ::

HOLLYWOOD 5147
CALIFORNIA

Pacific Coast Distributors for

DUPONT FILM MFG. CORP.

35 West 45th Street

New York City

AMERICAN CINEMATOGRAPHER

A Technical and Educational publication
of motion picture photography.

Published monthly by the
AMERICAN SOCIETY
OF CINEMATOGRAPHERS, INC.,
Suite 1222 Guaranty Building,
Hollywood, California.

Telephone Granite 4274.

JOHN ARNOLD, President, A. S. C.
GEORGE SCHNEIDERMAN, Treasurer, A. S. C.

Volume XVI DECEMBER, 1933 Number 8



What to Read

SOCIETY Solidifies Craft.....	309
PHOTOGRAPHY with Infra-Red Radiations by J. A. Dubray, A.S.C.....	310
MOVIE-Mapping Camera by R. Fawn Mitchell.....	312
SYSTEMATIZED Miniature Development by Clarence Slifer, A.S.C.....	313
MECHANICAL Engineering Applied to Lenses by William Taylor, O.B.E.....	314
PHOTOGRAPHY of the Month.....	316
WHEELS of Industry.....	318
RECENT Patents	339

Next Month

- We will launch the first of a series of articles on the Fundamentals of Design in Photography. This will be written by L. O. Huggins, A.S.C. He will take each of the fundamentals and treat them separately in each article.
- Other timely and interesting articles are in preparation. They will treat on the various phases of the technical side of photography and cinematography.
- There will be another article on miniature photography. This article promises something very new in the use of the small camera. It will demonstrate the wide flexibility of the ever popular candid camera.

The Staff

EDITOR

Charles J. VerHalen

TECHNICAL EDITOR

Emery Huse, A. S. C.

ASSOCIATES

Walter Blanchard

Karl Hale

ADVISORY

EDITORIAL BOARD

Victor Milner, A. S. C.

Chas. C. Clark, A. S. C.

Hatto Taapenbeck, A. S. C.

Jackson J. Rose, A. S. C.

Fred Gage, A. S. C.

Dr. J. S. Watson, Jr., A. S. C.

Dr. L. M. Dieterich, A. S. C.

Dr. L. A. Jones, A. S. C.

Dr. C. E. K. Mees, A. S. C.

Dr. W. B. Rayton, A. S. C.

Dr. Herbert Meyer, A. S. C.

Dr. V. B. Sease, A. S. C.

FOREIGN REPRESENTATIVES

Georges Benoit, 100, Allee Franklin,

Pavillons-sous-Bois, France. Seine. Tele-

phone LeRaincy 13-19. John Dored, Riga,

Latvia. Herford Tynes Cowling, 1430 Mon-

roe Avenue, Rochester, N. Y.

NEW YORK REPRESENTATIVE

S. R. Cowan, 19 East 47th St., New York

City. Phone Plaza 3-0483.



ESTABLISHED 1918. Advertising Rates on appli-
cation. Subscription: U. S. \$2.50 a year; Canada
\$3.50 a year; Foreign, \$3.50 a year, single copies 25c.
COPYRIGHT, 1933, by American Society of Cine-
matographers, Inc.

Neither the American Cinematographer nor
the American Society of Cinematographers
is responsible for statements made by au-
thors. This magazine will not be responsible
for unsolicited manuscripts.

A brighter, whiter, cooler light for BETTER PICTURES . . .

NEW G-E MAZDA MOVIEFLOOD LAMP

THIS amazing new lamp puts a helpful new tool in the hands of the cinematographer, with these definite advantages:

- 1 Brighter light.** This new G-E MAZDA Movieflood lamp, rated at 2000 watts, gives twice as much light as the standard 1500-watt lamp. Photographically, it is 3 times as effective. Thus fewer units are needed on the set and more natural effects are possible.
- 2 Whiter light.** The light from this new lamp matches very closely the sensitivity of super pan film, which results in a more pleasing rendition of tone and texture. It brings out black tones especially well, and does not overemphasize red tones.
- 3 Better light balances.** The increased intensity of this new lamp seems to give its light greater carrying power, which makes shadows softer and more natural, while highlights still retain desirable softness and definition.
- 4 Less heat** — in proportion to light. This new lamp produces less infra red, or heat rays, from an equal wattage than a standard lamp. This means greater comfort for everyone on the set . . . especially in color photography, where the higher intensity light necessary often boosted the temperature to that of the tropics.
- 5 Designed for color work.** Because of its coolness, intensity and color quality, this new lamp greatly simplifies the problem of lighting for color.

This new G-E MAZDA Movieflood lamp has a life of about 15 hours. It may be prolonged by operating at reduced voltage when not shooting.

Typical of General Electric's constant contributions to better photography—this new lamp suggests another reason why studios from coast to coast use G-E MAZDA lamps for all their lighting, from set to "process" work. General Electric Company, Nela Park, Cleveland, O.

GENERAL  ELECTRIC
MAZDA LAMPS



THE AMERICAN SOCIETY OF CINEMATOGRAPHERS was founded in 1918 for the purpose of bringing into closer confederation and cooperation all those leaders in the cinematographic art and science whose aim is and ever will be to strive for pre-eminence in artistic perfection and technical mastery of this art and science. Its purpose is to further the artistic and scientific advancement of the cinema and its allied crafts through unceasing research and experimentation as well as through bringing the artists and the scientists of cinematography into more intimate fellowship. To this end its membership is composed of the outstanding cinematographers of the world, with Associate and Honorary memberships bestowed upon those who, though not active cinematographers, are engaged none the less in kindred pursuits, and who have, by their achievements, contributed outstandingly to the progress of cinematography as an Art or as a Science. To further these lofty aims, and to fittingly chronicle the progress of cinematography, the Society's publication, The American Cinematographer, is dedicated.

AMERICAN SOCIETY OF CINEMATOGRAPHERS

OFFICERS

JOHN ARNOLD	President
VICTOR MILNER	First Vice-President
CHARLES G. CLARKE	Second Vice-President
ELMER G. DYER	Third Vice-President
GEORGE SCHNEIDERMAN	Treasurer
WILLIAM STULL	Secretary

BOARD OF GOVERNORS

John Arnold	John W. Boyle
Charles G. Clarke	Daniel B. Clark
Elmer Dyer	Alfred Gilks
Frank Good	Fred Jackman
Charles B. Lang, Jr.	Victor Milner
Arthur Miller	Vernon Walker
George Schneiderman	John F. Seitz
William Stull	

PAST PRESIDENTS

Philip E. Rosen	Hal Mohr
Gaetano Gaudio	Homer Scott
James Van Trees	John F. Seitz
John W. Boyle	Daniel B. Clark
Fred W. Jackman	

HONORARY MEMBERS

Mr. Albert S. Howell
Mr. Edward O. Blackburn

PUBLIC RELATIONS COMMITTEE

John Arnold	Herford T. Cowling
Frank Zucker	Edwin L. Dyer
Charles Bell	Charles W. Herbert
Charles J. Davis	Mack Stengler
Paul H. Allen	Ross Fisher
Georges Benoit	John Dored
Glenn MacWilliams	Philip M. Chancellor
Ariel Vargas	W. H. Jansen
Max B. DuPont	

PRODUCTION COMMITTEE

Daniel B. Clark	Elmer G. Dyer
John W. Boyle	Ned Van Buren
William Stull	

MEMBERSHIP COMMITTEE

Charles C. Clarke	Alfred Gilks
George Folsey	

ENTERTAINMENT COMMITTEE

John W. Boyle	Frank B. Good
Charles B. Lang, Jr.	Vernon Walker
Alvin Wyckoff	

WELFARE COMMITTEE

Hal Mohr	James Van Trees
Fred W. Jackman	

RESEARCH COMMITTEE

Victor Milner, Arthur Miller, William Stull,
Dr. Herbert Meyer, John Arnold, John F.
Seitz, Emery Hulse, Dr. L. M. Dieterich

MEMBERS *

First Cinematographers

Abel, David
Allen, Paul
Arnold, John
Andersen, Milford A.
Andriot, Lucien
Ash, Jerome H.
August, Joseph
Barnes, George S.
Barlatier, Andre
Benoit, Georges
Boyie, John W.
Brodine, Norbert F.
Brown, Jas. S., Jr.
Chancellor, Philip
Clark, Dan
Clarke, Charles C.
Cline, Robert E.
Cowling, H. T.
Cronjager, Edward
Daniels, William H.
Davis, Charles J.
Dean, Faxon
DeVonna, Clyde
Draper, Lauron A.
Dubray, Joseph A.
DuPar, E. B.
Dyer, Elmer C.
Dyer, Edwin L.
Dored, John
Dumont, Max B.
Edeson, Arthur
Fildew, William
Fisher, Ross C.
Fischbeck, Harry
Folsey, George J., Jr.
Freuch, Karl
Garnes, Lee
Gaudio, Gaetano
Gerrard, Henry William
Gerstad, Merritt B.
Gilks, Alfred
Glennon, Bert
Good, Frank B.
Hall, Ernest
Halperin, Sol
Herbert, Charles W.
Hickox, Sid
Horne, Pliny
Howe, James Wong
Hunt, Roy
Hyer, William C.
Jackman, Floyd, Dr.
Jackson, Harry
Jansen, William H.
June, Ray
Kershner, Glenn
Kline, Ben
Kohler, Henry N.
Krasner, Milton
Lang, Charles B., Jr.
Lloyd, Art
Lockwood, J. R.
Lundin, Walter
Lancaster, George J.
Lyons, Chet
Mackenzie, Jack
Marshall, Chas. A.

Special Process

Binger, Ray
Cully, Russell A.
Dunning, Dodge
Eagler, Paul
Edouart, Farciot
Fabian, Maxmillian
Haskin, Byron
Jackman, Fred
Jackman, Fred Jr.
Koenekamp, H. F.

Second Cinematographers

Anderson, Don
Anderson, Wesley
Arling, Arthur E.
Badaracco, Jacob
Bader, Walter
Bell, Jack C.
Bennett, Guy M.
Bennett, Monroe
Biro, Joe
Blackstone, Cliff
Bradley, Wilbur H.
Chewning, Wallace
Clark, Roy
Clemens, Geo. T.
Cline, Wilfrid E.
Cohen, Edward J.
Collings, Russell D.
Cooper, Harry H.
Cortez, Stanley
Davis, Harry
Davis, Leland E.
DeGrasse, Robert
Dunn, Linwood C.
Fapp, Daniel L.

Marshall, William C.
Marley, J. Peverell
Martineff, Arthur
McWilliams, Glen
McGill, Barney
Marsh, Oliver
Miller, Arthur
Miller, Virgil E.
Milner, Victor
Mohr, Hal
Moore, Milton M.
Muscalo, Nick
Morgan, Ira H.
Neuman, Harry C.
Nobles, William
O'Connell, L. William
Palmer, Ernest
Paul, Edward F.
Perry, Harry
Perry, Paul P.
Polito, Sol
Powers, Len
Reed, Arthur
Rees, William A.
Reynolds, Ben F.
Robinson, George
Roos, Len H.
Rose, Jackson J.
Roster, Charles
Ross, Harold
Schneiderman, George
Schoenbaum, Charles
Scott, Homer
Seitz, John F.
Sharp, John
Sieger, Allen
Silver, John
Sintzenich, Harold
Gerrard, Henry William
Smith, Leonard
Snyder, Edward J.
Sprekahl, Theodor
Stengler, Mack
Stout, Archie J.
Stumbar, Charles
Stumar, John
Sturs, Karl
Tetzlaff, Ted
Thompson, William C.
Todd, Arthur
Toland, Gregg
Tover, Leo
Towers, Richard
Tutwiler, Tom
Valentine, Joseph A.
Van Buren, Ned
Van Trees, James
Varges, Arley
Wagner, Sidney C.
Walker, Joseph
Warrenton, Gilbert
Wenstrom, Harold
Wetzel, Al
White, Lester
Wilky, Guy L.
Wickoff, Alvin
Zucker, Frank C.

Lipstein, Harold
Pollock, Gordon
Ries, Irving G.
Shearer, Douglas
Walker, Vernon L.
Williams, William N.
Wrigley, Dewey
Wimpy, Rex
Zech, Harry

Eslick, LeRoy
Feindel, Jockey
Fetters, C. Curtis
Fitzgerald, Edward
Freulich, Henry
Galezio, Len
Galligan, Thomas
Gibbons, Jeff T.
Gordon, James
Gray, King D.
Green, Kenneth
Greenhalgh, Jack
Guffey, Burnett
Guthrie, Carl
Hallenberg, Harry
Harper, James B.
Henderson, Edward
Hoag, Robert
Huggins, L. Owens
Jennings, Lewis E.

Ries, Ray
Roberts, Josiah
Salerno, Charles, Jr.
Schoedsack, C. F.
Schuerich, Victor
Shipham, Bert
Smith, William Cooper
Stafford, Earl
Tappenbeck, Hatto
Thackery, Ellis F.
Thompson, Stuart
Titus, Frank
Vaughan, Roy V.
Van Dyke, Herbert
Van Englen, William
Vogel, Paul Charles
Vogel, Willard L.
White, Ben
Wild, Harry
Williams, Al E.

Assistant Cinematographers

Abbott, L. B.
Adams, Eddie
Ahern, Lloyd
Anderson, Eddie
Baldwin, Harold
Bergholz, Emmett
Bohny, Charles
Bourne, George
Bradford, William
Brandenburg, Gentry
Bridenbecker, Milton
Brigham, Donald H.
Bronner, Robert
Burgess, Frank
Burke, Charles
Burks, Robert
Carlos, Don
Carter, Ellis W.
Clothier, William H.
Cohen, Sam
Crawford, Lee
Cronjager, Henry, Jr.
Crouse, John
Curtiss, Judd
Daly, James
Dalzell, Arch R.
Davenport, Jean L.
Davis, Mark
Daval, Richard S.
Dawes, Harry
DeAngelis, Louis
deCastellaine, Paul
Deverman, Dale
Diskant, George
Doran, A. Richard
Dorris, Joe
Downing, Thomas L.
Eckert, John
Finnerman, Perry
Fredericks, Ellsworth
Fischer, Herbert J.
Flinisky, Ray
Foxall, William
Garvin, Edward
Gaudio, Frank, Jr.
Geissler, Charles R.
Gertsman, Maury
Glassberg, Irving
Grouner, Martin
Gough, Robert J.
Graham, Stanley
Greer, John
Haas, Walter
Hackett, James C.
Haddow, Ledger

Harlan, Russell
Hayes, Towne D.
Higgins, James Colman
Hill, Paul
Hoffman, Roswell
Kauffman, R. King, Jr.
Kearns, Edward
Kelley, George F.
Klein, Irving
Kluznik, Matt
Lane, Art
Lockwood, Paul
Love, Cecil
Lykins, Volvie Joe
Marble, Harry
Marsh, Harry
Martin, John
Molina, Lewis
Moore, Kenneth
MacDonnell, Stanley
McDonald, Frank C.
McEdward, Nelson C.
McIntyre, Andy
Noble, Roy
Norton, Kay
Orsatti, Alfred
Parks, Harry
Riley, William
Ramsey, H. Clark
Rankin, Walter
Roe, Guy
Schuch, William
Scheving, Albert
Sargent, Don
Shorr, Lester
Shorris, C.
Slifer, Clarence
Slocane, James
Smith, H. C.
Starbuck, Charles
Stine, Clifford R.
Straumer, E. Charles
Strong, Glenn
Strong, William M.
Tolmie, Rod
Trop, Roy
Van Trees, James, Jr.
Van Warner, John Pierce
Ward, Lilyod
Wellman, Harold
Vendall, Jack E.
Villard, Barth
Whitely, William
Worth, Lothrop

Still Photographers

Allen, Ted
Alsop, George
Bachrach, Emrie
Bjerring, Frank
Blanc, Harry
Breaud, Joseph F.
Bredell, Elwood
Brown, Milton
Coburn, Robert
Cooper, Jack
Ellis, John
Estep, Junius D.
Evansmith, Henry
Farrell, David
Freulich, Roman
Fryer, Elmer
Grimes, William H.
Hopcraft, N. John
Johnson, Roy L.

Julian, Mac
Kahle, Alexander
Kling, Clifton
Korman, Gene
List, J. Z.
Lobben, C. Kenneth
Longest, Gaston
Longworth, Bert
Lynch, Bert
Mansueti, S. C.
Marigold, Mickey
Martin, Shirley V.
Miehle, John J.
Ridgeway, G. E.
Sibbald, Merritt J.
Six, Bert
Tanner, Frank
Van Pelt, Homer
Welbourne, Chas. Scott

Associate Members

Mr. George Cave
Mr. Emery Huse
Dr. W. B. Rayton
Mr. Fred Gage
Dr. C. E. K. Mees

Dr. Herbert Meyer
Dr. Lloyd A. Jones
Dr. V. B. Sease
Dr. L. M. Dieterich
Dr. J. S. Watson, Jr.


*Membership by Invitation only.

1,000 PRINTS

without
a stop

*... a remarkable
letter about a re-
markable machine.*

Letter from Mr. John M. Nickolaus, M-G-M Superintendent of Photography, to Mr. J. H. McNabb, President, Bell & Howell Company, describing the work of one of M-G-M's battery of new Bell & Howell Sound and Picture Production Printers.



CULVER CITY, CALIFORNIA October 10th, 1933.

Mr. J. H. McNabb,
Bell and Howell Company,
1801-1815 Larchmont Ave.,
Chicago, Illinois.

Dear Mr. McNabb:

Recently we had an order for one-thousand prints from an N.R.A. trailer negative, which were wanted in a rush for exploitation. We decided to put this negative into the new automatic printing machine, and ran it continuously for twenty-four hours per day, until the one-thousand prints were made, never taking the negative from the cabinet during the entire process.

During the progress of this work we examined the prints carefully, and found the one-thousandth print as clean as the first. I guess we could have gone on printing indefinitely.

I personally examined this negative at the finish of the run, and I was agreeably surprised to find that it was in exactly the same condition as when we put it into the printing machine -- no dirt, no scratches, and the perforations were in perfect condition. The negative showed absolutely no signs of wear.

I write this enthusiastically, because while I had great hopes for the results from these machines, I didn't think it would be possible to go on printing indefinitely from a negative without its showing some degree of wear. This gives me absolute assurance that I will be perfectly safe in printing an entire release on these printing machines without any thought of polishing or cleaning after we get started.

I know this will be very pleasing information to Mr. Howell, because those were his claims, but until I had the actual experience, I doubted it.

Yours truly,

John M. Nickolaus
Superintendent of Photography

JMN/HOM

NO AGREEMENT OR ORDER WILL BE BINDING ON THIS CORPORATION UNLESS IN WRITING AND SIGNED BY AN OFFICER

*... and this is the machine
that does it*

While designed for quantity production, the B & H Production Printer gives vastly finer control of print density and quality than has heretofore been possible. Sound and picture are printed at one operation under fully automatic interlocking control. The machines are ruggedly built, yet constructed to a precision of adjustment equal to that of a fine watch. Write today for details.

BELL & HOWELL COMPANY

1848 Larchmont Ave., Chicago; 11 West 42nd Street, New York; 716 North LaBrea Ave., Hollywood; 320 Regent St., London (B & H Co., Ltd.) Established 1907

NRA Member



WESTON
UNIVERSAL MODEL
easily fits the pocket, or is
provided with a flexible
genuine leather zipper case.
PRICE \$27.75 IN U.S.A.



WESTON CINÉ MODEL
is extremely compact, and
self contained. Polished
hinged cover serves as
handle.
PRICE \$22.50 IN U.S.A.



The Prized Gift for Picture Takers

A WESTON EXPOSURE METER

No other gift you can give a camera owner this Christmas will be so highly prized as that of a Weston Exposure Meter . . . for no other gift can contribute as much genuine pleasure and satisfaction, and *real economy*, to picture taking.

Select the model suited to the need. For the movie enthusiast Weston Ciné Model 627 banishes all exposure guess-work and all worry over results. This compact meter gives the correct ciné exposure, instantly and accurately. Pictures are sharp and clean when projected on the screen. There never need be another foot of film wasted, so far as exposure is concerned.

For the still or miniature enthusiast,

even though they use a movie camera, the Weston Universal Model 617 fills every need. This small, compact meter operates perfectly for any kind of camera, film and light condition. It not only assures perfect exposures on every shot, but it enables the photographer to predetermine the density of the finished negative.

See Weston Exposure Meters at leading dealers today, before you make any gift selection. Finished in keeping with the finest photographic equipment, yet built to give life-time service, a Weston Meter will be your gift-choice this Christmas. . . . Weston Electrical Instrument Corp., 598 Frelinghuysen Avenue, Newark, N. J.

Results like these are assured when Weston Exposure Meters are used, even when the pictures are taken under adverse light conditions. The meter never guesses, but gives the correct exposure facts, every time.



WESTON



Exposure Meters

Society Solidifies Craft

DURING its fourteen years of existence the American Society of Cinematographers has, perhaps, gone through no greater constructive year than the one about to close its calendar career.

It has found, by its efforts, a solidifying of the men who comprise its membership; it welcomed several hundred new members who recognized in its constructive work, during the restless days of the industry, a force that founded its efforts on principles which have always been the ideals of the cinematographer.

By reason of its negotiation of a contract with the producers it continued an orderly condition in the industry which had threatened to break its bonds and undo the efforts of many years to bring the cinematographer to his present status.

While sincere gratitude is felt to the Society for this one action, still its present negotiations for new contractual relations with the producer promise a much greater freedom for the cameraman, finer and greater benefits for the craft than it has ever before enjoyed.

While it does not promise the millenium, still the work of the committee on code and contract relations has, through its efforts during the past three months, brought negotiations to such a point and consolidated ideas to such an extent that it is anticipated the next thirty days will give the cinematographer one of the most equitable working arrangements with the studios that has been his privilege during the many years of the existence of this great industry.

Gentlemanly and amicable meetings are being conducted by the two bodies, according to reports of the committee, in an effort to bring about a relationship which will be equitable and fair to all concerned.

During the turmoil of the N.R.A. negotiations, while the Society assumed its duties in relation


to its membership in these activities, still these efforts were not of the destructive type; they were not selfish nor were they unfair to any of the elements concerned. Through their representatives, they gave their best advice, gave true interpretations of the cameraman's viewpoint and a comprehensive picture of conditions that surround his work in the studios. The result of this harmonious attitude on the part of the American Society of Cinematographers is too well known to repeat at this time.

Unselfishly, quietly but aggressively the committee consisting of John Arnold, Fred Jackman, George Schneiderman, Victor Milner and Arthur Miller have given over much of their time during the past several months in the negotiating of contracts with the producers. They are now bending their efforts toward the completion of the permanent contract which will not only bring newer and greater benefits to the cinematographer but will eliminate those very undesirable and much controversial phases which have been a part of past agreements.

This untiring and unselfish work is now culminating toward an understanding and agreement which will be recognized by the Cinematographic Craft as one of the greatest forward strides in the recognition of the cameraman and in granting to him the privileges and freedom that have always been his due.

It is a recognized fact by those responsible for inter-craft relations that the photographic phase of the industry is the least expensive in comparison to its importance to the industry. Statisticians have claimed that approximately one per cent of the production cost is chargeable to the cinematographer and his assistants; truly a modest amount in comparison to its importance.

With this conclusive realization it is not difficult to understand that the studios approach the committee of the American Society of Cinematographers with an open mind and with an inclination to negotiate an agreement that will be ideal so far as it is humanly possible to make such a document.

Fig. 1. Wave-lengths in μ

ALTHOUGH the beginning of the photographic investigation of the Red and Infra-Red regions of the spectrum dates back to almost half a century, it has been only in the last fifteen years that it has emerged from the research and experimental laboratory and has entered the field of practical photography.

Modern physics has shown a marked tendency to express by the term "Electromagnetic Radiations" those radiations that travel through space with the velocity of Light and according to the wave theory of propagation.

The Electro Magnetic Spectrum comprises radiations ranging from a wave length of a few tenths of a millimicron to that of several miles.

At the shorter wave length end of the Spectrum are the Gamma Rays used in Radiology and the still shorter Cosmic Rays which have been brought to public attention in latest years mainly through the investigations of Dr. Millikan of the California Institute of Technology.

At the long wave end of the Spectrum are the waves used in wireless and the still longer waves generated by rotating a coil in a magnetic field.

A very small portion of the Electromagnetic Spectrum comprises the Radiations that produce the sensation of Light and is commonly known as the Visible Spectrum. These Radiations are confined within the limits of wave lengths from 393 to 759 millimicrons, from the Oxygen A to the Cadmium K Fraunhofer lines.

Beyond the two limits of visible radiations are other invisible radiations which can be detected photographically and which are termed Ultra-Violet or Infra-Red radiation according if their wave length is shorter or longer than that of the limiting visible radiation.

The short wave portion of the invisible Spectrum that can be detected through its photochemical action extends to wave lengths as short as approximately 0.006 millimicrons (X-Rays) while the long wave portion is nowadays limited to wave lengths of approximately 1129 millimicrons, in the neighborhood of the Mercury line corresponding to the 1128.8 millimicrons wave length.

From the very inception of photography, it was recognized that the photochemical effect upon the silver halides was limited in the longer wave length end of the spectrum to little beyond the 500 millimicrons wave length and therefore the yellow radiations between 587 and 589 did not have any effect upon the light sensitive material.

It was in 1873, before the introduction of gelatine emulsions, that Vogel, while experimenting with a view to eliminate halation, mixed some dyes with the Collodion emulsion

Photography

then in use and discovered that this would extend its sensitivity to the yellows. Corallin was the first dye used, but by extending his experimentation to the use of a number of dyes he proved that the emulsion was rendered sensitive to the radiations that were absorbed by the dyes and in 1875 he discovered the sensitizing properties of Cyanin which extend into the Red region of the Spectrum.

The road was open to the Science of Orthochromatics and other experimenters followed it, especially with a view to discover dyes that would have the strongest sensitizing effect together with good keeping qualities and a minimum of fogging propensities.

Gelatin emulsions made their appearance, and in 1882 Attout Tailfer introduced the use of Eosin and Erythrosin in conjunction with Ammonia which sensitized the photographic plate for the yellows and green-yellows.

Shortly afterwards, Vogel succeeded in sensitizing the emulsion for both the yellow-green and the orange-yellow regions, by mixing Quinoline-Red and Cyanin, but it was only some ten years later that an incursion was made in the Infra-Red region of the Spectrum by Higgs, who, for the scope of photographing the Solar Spectrum, used Coerulein and reached wave length 840.

It was at about this time that Eder made known the results of his investigations in the field and expressed the essential requisites and facts to support the theory of dye sensitizing confirming Vogel's assertion that the sensitizing power of a dye is stronger for the radiations that it absorbs more readily and that the stability of the dye itself has little or no influence on its sensitizing power.

Researchers were, however, confronting the fact that all dyes known at that time had a tendency to produce considerable fog and also that the plates so prepared had a very limited keeping quality, which almost confined them to the scientific and research laboratory, their commercial application being limited by the knowledge, the patience and the application of the photographer.

However, the discovery of the dyes of the isocyanine group first introduced by Miethe (Ethyl Red) and followed by the Pinachrome, Pinaverdol and Orthochrome T discovered by König in 1904, brought orthochromatics into the commercial realm because of the reliability of their action and of their sensitizing effect in the yellow and orange regions as well as in the green, to which color all emulsions show a definite lack of sensitivity.

Two years later in 1906, Pinacyanol, a Red sensitizer of the carbocyanine group, was introduced by Homolka and its discovery marked the advent of Panchromatic emulsions because, when mixed with a green sensitizer, it extended the sensitivity of the of the photographic plate to all the colors of the visible spectrum.

In the same year the discovery of Dicyanine permitted a definite entrance into the Infra-Red region of the spectrum since by using it in conjunction with Ammonia, it was found possible to reach a wave length of 1000 millimicrons and even the Mercury line 1014. Dicyanine did not, however, prove very satisfactory, mainly because of the poor keeping quality of the plates sensitized with it.

It was only in 1919 that Adams and Halle discovered Kryptocyanin, a dye that can be either incorporated in the

With Infra Red Radiations

by
J. A. Dubray, A. S. C.




Fig. 3. Longitudinal aberration $\times 5$

emulsion or used by bathing and which shows remarkable freedom from fog as well as good keeping qualities. Kryptocyanin has a maximum of effectiveness at wave length 770 and extends up to 800 with an unfortunate rapid falling off from this point so that it is decidedly inferior to Dicyanin at wave length 900. Finally even these limitations were offset by the discovery by Clarke in 1925 of "NEOCYANIN."

This remarkable dye sensitizes photographic emulsions with maximum effectiveness at wave length 820 and extends easily to 900 without the addition of fogging Ammonia.

With the addition of Ammonia, however, its sensitivity to Infra-Red is still enhanced and with a long exposure, wave length of 1129 millimicrons has been recorded on a photographic plate, so it is possible today to produce a permanent record of Radiations which only a few years ago could not, so to speak, be captured.

The above condensed chronological data has reference to the progresses made in sensitizing photographic emulsions

but it is obvious that other fields had to be explored in order to develop the practical application of the findings.

The designing of lenses to be used for infra-red photography has proven a task for the optician who was confronted with the difficulty of carrying the calculations necessary to secure the proper chromatic correction for a region of the Spectrum for which the refractive indices of optical glass are unknown.

H. W. Lee of the Research Department of Taylor, Taylor and Hobson, makers of Cooke lenses, has explained the methods used for carrying this correction, in a paper published in the British Journal of Scientific Instruments (Vol. IX, No. 9, September 1932) which is here literally transcribed in almost its entirety:

"It was soon recognized that Neocyanin sensitized plates would be valuable in photographing distant objects through our atmosphere, which scatters light of short wave length and thus produces atmospheric haze. A filter is placed in front of the lens to absorb such short waves and the photograph is made by means of the long waves only. Remarkable pictures were made by Prof. Wright of Lick Observatory showing the Yosemite Valley and Mount Hamilton 120 miles away. He also photographed Mars, and it was at once apparent that existing opinions as to the absence of atmosphere on Mars must be abandoned. The method also promises scientific value in the comparison of stellar magnitudes. At present the color index is made by comparison of the photographic magnitude (by violet light) with the visual magnitude. It is now possible to compare with the magnitude at 8000A. and get a better classification. Capt. Stevens (Phot. Journal, 71 1931, 278), of the U. S. Army Air Corps, has also secured some remarkable results from an aeroplane. In one photograph the horizon was so distant that the curvature of the earth could be demonstrated and actually calculated with fair accuracy.

In correcting his lens for infra-red photography, the optician is at the disadvantage that his knowledge of the optical properties of his material is derived entirely from visual measurements. It is, of course, no new difficulty, as the same trouble confronted him in the correction for ultra-violet photography. He has to meet the difficulty by cut-and-try methods guided by a mixture of instinct, empiricism, and scientific control. One of the most useful empiric guides (E.g., H. W. Lee, Trans. Opt. Soc. 28 1926-7, 161-7), is the Hartmann dispersion formula, which has been found to give sufficiently accurate extrapolation for short distances beyond the visible spectrum. It is well known that glasses of different types give different proportional dispersion throughout the spectrum, e.g. the ratio of the dispersions $F-C'-C-F$ is greater for flint glasses than for crowns. If all glasses had equal proportional dispersion there would be no need for an exact knowledge of the refractive index of a glass for each region of the spectrum, because if a lens system were achromatized for two points of the spectrum, it would be achromatized throughout. There are a few glasses which approach this condition of equal partial dispersion most nearly and from them are constructed the so-called Apochromatic Process Lenses. Such lenses have a smaller "secondary spectrum" than those made with "normal" glasses. A lens of this type is used by The Times (London) in their current

(Continued on Page 337)

The Red region of the Solar Spectrum photographed in 1926 by Dr. Babcock of Mount Wilson Observatory, with Kryptocyanin sensitized plate.



At top Fig. 4. Typical strips printed from a continuous roll of 35mm mapping film made with mapping Eyemo. Lower left Fig. 2 showing mechanism for changing over from movie camera to mapping camera. Motor operates from 10 volt plane generator. Center right, mapping Eyemo mounted in hose of plane for reconnaissance mapping work. Lower right Fig. 3, close up showing rollers in magazines to allow camera to be used on its side. (In operation door side of magazine is down.)

Combination Movie-Mapping Camera

by

R. Fawn Mitchell*

PROBABLY every reader of the *American Cinematographer* made a special point of seeing the wonderful pictures taken by Admiral Byrd on his first Antarctic Expedition—at least you all know the story. All the people with whom I have discussed the Byrd pictures were impressed by the episode of cameras versus food—should they jettison the cameras to clear that ridge or should they take the chance of disaster and dump the food instead? As you all know, the pictures tell the story.

I had a couple of long talks with Sir Hubert Wilkins when he was seeking equipment for the Ellsworth Antarctic Expedition and it was quickly evident that their expedition was not at all keen about having to make such a decision. Furthermore, they had a firm desire to **map** the region they traversed—not to photograph only the more spectacular terrain.

The problem then resolved itself into securing a mapping camera which would make a continuous series of overlapping pictures from which a regular aerial map could be made. The camera had to have enough capacity to map the cross-polar dash, lasting about nine hours; at the same time it had to be as light as possible.

Commander Wilkins felt that the use of 35mm motion picture film was the only practical solution, as the amount of film alone required for mapping with a regular aerial camera, apart from the weight of the camera and the bulk of film, precluded their use.

The suggestion, therefore, was that the EYEMO camera, equipped with a 400 ft. magazine, be mounted on the wing (or other suitable out of the way location), and set to take single frames at regular intervals. However, weight is such an important item that it was desired to use the EYEMO in the regular manner for ordinary movie work also. This complicated the problem seriously and, first, it was doubtful whether it could be done. Fortunately, several factors could be standardized and therefore simplified so that the combination could be worked out satisfactorily.

First of all, Sir Hubert called attention to a remarkable fact, namely, that the upper strata of air in the Antarctic are comparatively warm—above zero; also, he stated that the equipment would not be used in extremely cold weather. This permitted the incorporation of a second shutter and its associated mechanism in the head of the camera, with provision for throwing the second shutter in and out of operation at will. For instance, the camera could be used as a mapping camera for a time and then as a movie camera, and then set back again as a mapping camera. However, for the main dash across the Pole and back it is expected to be used solely as a mapping camera.

As mentioned above, the flight across the Pole is expected to take about nine hours, flying at an average height of about 2000 feet at a speed of approximately 150 miles per hour.

Single frames had to be taken at intervals which would give at least a 10 percent overlap of one frame to the next at this speed and height, using a 2-inch lens on the camera, and, setting the camera on its side, it was found desirable to make one frame every six seconds or so. Setting the camera on its side placed the short height of the frame across the line of flight and the wider width of the frame along the line of flight. Six second intervals under these conditions meant that the camera could be set at an angle of approximately 40 or 45 degrees to the horizon and obtain a satisfactory overlap (see Fig. 1 and Fig. 5). For convenience of mechanical construction, a fixed interval of six seconds and a fixed exposure of 1/100 second were decided on.

The arrangement described will enable the single mapping frames to be taken over practically the entire dash without reloading—nearly seven hours of the nine-hour dash. These alternatives are available: Either a preliminary test flight can (and probably will) be made for the first hour or two of the route up to and including some easily recognizable landmark. Then on the main mapping

*Manager, Technical Service, Bell & Howell Company, Chicago.

(Continued on Page 334)

Systematized Miniature Development

by
Clarence Slifer, A. S. C.

HERE is one period of time in the development of film that may be considered as normal. This period is when the gradations in the negative are in their best proper relationship (all things considered: exposure, color rendering, etc.) to the photographed subject. The contrast in the negative is neither diminished or exaggerated as it would have been had the negative been developed for less or for longer than this normal time.


It is quite evident that with a roll of miniature negatives made under varying conditions and exposures, it would be impossible to develop this roll to exactly suit each individual exposure, as was done with larger negatives when they were developed by inspection. So, by developing the miniature roll for the normal time we treat each exposure alike, favoring or slighting none and in this manner we obtain the highest percentage of good printable negatives.

But how can we tell when we have developed our films for the normal time, if we cannot develop them by inspection? Are we not comparable to a blind man groping around in the dark? Exactly, and like a blind man who faithfully depends upon a dog to guide him, we can depend upon a strip of film of graduated densities to guide us.


Our next step, then, is to secure some undeveloped film with a graduated scale of exposures upon it. A sensitometric strip. As most of us do not have access to a sensitometer, it will be necessary for us to make our own strips. Happily, for our purpose, this is a very simple job. All that is necessary is that we set up our miniature camera and make a number of like exposures of a graduated chart. A graduated chart may be purchased from the Eastman Kodak Company for a few cents. It is part of the guide that they make for three color photography. If none is available, it is an easy matter to make one on soft enlarging paper, so exposing the paper, that the scale ranges from white to black, with each step having double the exposure of the preceding step. On the black end of the scale, I would suggest that you add a piece of black velvet. This gives you an absolute black.

Now for photographing the scale. The scale illustrated was copied by a Leica camera, equipped with a 90mm Elmar lens. Two photo-flood bulbs, in reflectors, were used for illumination and the exposure was 1/20th of a second, on E. K. Background (Panotomic) negative. I would suggest that you make your gamma or graduated



7½ Minute
Development



15 Minute
Development




22 Minute
Development



strip on the same type of film that you most generally use. However, positive film may be used, if you always use the same kind of developer. I determined this exposure by previously making several trial exposures and then developing the roll in D 76 for 15 minutes. (This was the average time that I had been developing my negatives). Then I exposed several Leica magazines at the determined exposure. This gave me a number of feet of undeveloped, graduated negatives, hereafter referred to as gamma strips.

(Continued on Page 335)



At Top Fig. 22
At Bottom Fig. 23

Mechanical

THE processes of smooth grinding and polishing are performed by means of part-spherical laps of the general forms shown in Fig. 19; and here we touch the reason why lens surfaces are generally of spherical form. The only abrading means by which the requisite regularity of lens surface can readily be produced is a lap which makes complete surface contact with the lens at all times, and not merely line or point contact. And the only possible form of lap and lens which can under these conditions be moved in various directions relatively, to abrade one another, is the spherical form.

The primitive way of using such a lap is shown in Fig. 20. Here the work is mounted at elbow level on the top of a post fixed to the floor, the lap is provided with a central knob, and the craftsman, with a thumb and finger embracing the knob and his two hands putting pressure on the lap, moves the lap to and fro, more or less radially over the work, and at the same time walks steadily round the post in order to distribute the rubbing equally round the lens surface. The orbit of the tool is thus roughly epicycloidal. At intervals he moves the lap a little round under his hands so as to distribute the rubbing evenly upon the lap. To form a lens accurately within one or two wavelengths of light by these primitive means demands a length of experience and a degree of skill of which the craftsman is justly very proud.

It was to avoid the heavy labor of moving the tools for making large telescope objectives that machinery was first applied to this operation. The glass disk was attached to the upper end of a vertical shaft and slowly rotated. Two cranks were used to move the upper tool, and their connecting-rods were pivoted in common to the centre of the tool and disposed at right-angles to one another. The crank-shafts were belted together so that they seldom returned to the same phase, and thus the orbit of the tool changed continuously between a straight line and a circle, and so back again.

Over forty years ago I experimented, by rubbing together flat disks of Bath brick (which quickly gave results), to determine whether this constant change in the quasi-epicycloidal motion between tool and work was really necessary. I found it to be useless; nevertheless for thirty years lens-working machinery with the two cranks continued to be made, although the operators had acquired the habit of setting one crank-pin concentric to its shaft so that it acted as a fixed pivot and its connecting-rod as a mere link constraining the tool to move in the arc of a circle. But the fixed pin was not permitted to be passive, it continued to be rotated!

In machines of this kind the function of rotation of the work disk is to distribute the abrasion equally round the work, and the main function of the radial motion of the tool is to effect the rubbing; the tool is pivoted to the connecting-rod, and not fixed to it, so as to permit the tool to be slowly rotated by the work and thereby equalize the rubbing round the tool surface.

If a circular lapping tool be applied in this way to abrade a circular disk, and the lap and disk have the same diameter,

Engineering Applied to Lenses

by
William Taylor, O. B. E.*

PART III

the effect is gradually to change the curvature of their contact surfaces, the lower member being over-lapped towards its margins, and the upper member towards its centre.

Thus, for example, if we start with plane surfaces, the lower member will gradually become convex and the upper one concave, and this change will progress indefinitely. To secure stability of curvature, obviously the upper member (the lap in the case we are considering) must be smaller than the lower member; but how much smaller should it be? If only a little smaller, then the orbit of the tool's motion must be small and the rate of abrasion small. If very much smaller, then the tool's orbit will be greater, but its control of the regularity of curvature of the work surface will be impaired.

This problem was solved by means of the Bath brick disks. The diameter of the upper member was varied step by step. At each step the orbit of motion was adjusted until stability of surface curvature was secured, and then the detritus removed by rubbing for a fixed time was weighed. Thus it was proved that the optimum effect of abrasion and stability of curvature were obtained when the ratio of diameter of upper to lower member is about 5-6.

When glass has been sufficiently smoothed with fine abrasive and a metal lap, it is polished. Plate glass and spectacle lenses are commonly polished with rouge and water on felt-coated tools, but this would be useless for photographic lenses. These are polished with laps faced with pitch or waxes, extremely viscous solids which at any instant behave as though rigid but which nevertheless conform slowly but accurately to the surface of the work. Experiments in the Leicester works laboratory have shown that the layer of glass removed in polishing a lens surface by these means is only about six wavelengths in thickness.²

The means by which every surface of every lens is tested for curvature and regularity of form is illustrated in Fig. 21. A very accurate counterpart of the desired lens surface is worked in a disk, generally of glass, and this is placed in contact with the lens surface, and the contact is viewed by reflection in order to observe the so-called Newton's rings formed by interference of the light waves reflected from the two surfaces. If these surfaces conform only approximately they will show a series of concentric rings of color, a fresh ring wherever the separation of the surfaces changes by half a wavelength.

If the surface under test is not truly spherical this will be revealed by the irregular spacing of the rings. If it is not a surface of revolution, the rings will be deformed. If there is only one ring, the surface conforms to the gauge

*F. W. Preston, Trans. Optical Soc., 1921-2, vol. xxiii. See also Lord Rayleigh's collected works.

within half a wavelength. If there is one uniform color throughout the contact the conformity is of the order approximating one-millionth of an inch.

If the test gauge be defective as to its regularity of curvature, this will be revealed by moving the gauge on the lens surface, for if the defect follows the gauge it is a defect in the gauge.

The radius of curvature of any surface is measured by means of a spherometer, of which a section is shown in Fig. 22, together with a diagram of its geometry, and its equation. The contact points of this spherometer are standard steel balls and its construction such as to facilitate accurate calibration.

One of the difficulties encountered with work of this accuracy is that of holding anything whatever without distorting it. No kind of mechanical holder or chuck is per-

(Continued on Page 331)



At top Fig. 25. Upper center left Fig. 19 showing Part-spherical Lap. Under center right Fig. 21—Lens Testing. Lower center left Fig. 24. Lower center right Fig. 20. Bottom Fig. 26.



PHOTOGRAPHY

of the MONTH

"THE POWER AND THE GLORY"

Jesse L. Lasky-Fox Production

photographed by **James Wong Howe, A.S.C.**

Here is as impressive an example of the value of Cinematography as has been seen in many a month. The production itself is unusual in many ways—especially in the reversed chronology of its plot-construction—and impressive in every phase. The lay critics have already praised William K. Howard's direction, and Spencer Tracy's outstanding performance; but to the cinematographer a major part of the credit must go to Cinematographer Howe. Viewed strictly as photography, his work is excellent—beautifully composed and lit; technically adhering to the finest standards. But it is as Dramatic Cinematography that "The Power and the Glory" is most arresting: the mood and feeling with which Mr. Howe has invested this production has rarely been equalled. Most important of all is the tangible aid which his lighting has given to the characterizations—especially that of Spencer Tracy. Without detracting an iota from Tracy's well-deserved laurels, one cannot help observing that a great deal of the credibility and force of the character comes from Howe's photographic treatment. From this viewpoint alone, the film merits the careful study of everyone in the industry.

"NIGHT FLIGHT"

Metro-Goldwyn-Mayer Production

photographed by **Oliver T. Marsh, A.S.C.**

aerial photography by **Elmer G. Dyer, A.S.C.**, and
Charles A. Marshall, A.S.C.

Technically and artistically this is one of the most outstanding aerial films ever produced, and it is an absolute masterpiece of Aerial Cinematography—thanks to the efforts of Cinematographers Dyer and Marshall. The dramatic portions of the film are—as could be expected of any production photographed by Oliver Marsh, A.S.C.—of the highest quality; but they are vastly overshadowed by the aerial sequences. The pictorial beauty of some of these aerial scenes has never been approached, while technically they are equally outstanding, not alone for the many difficulties which had to be overcome to secure them, but also as some of them represent the first use of intra-red-sensitive film for commercial production. (These include the aerial night-effect scenes, which are the first of their kind.) The process work is also outstanding, thanks to the efforts of Len Smith, A.S.C., and Harold Marzorati, A.S.C.

"ONLY YESTERDAY"

Universal Production

photographed by **Merritt B. Gerstad, A.S.C.**

You can't envy the director or the cinematographer who is faced with such an assignment as this, but you can—and, in this instance, must—hearty applaud them when their efforts are so successful as in "Only Yesterday." The cast contains over 90 principals (most of whom would have enjoyed star billing in many lesser films), and the story covers

a wide range of action and moods. The result is eminently a feather in Cinematographer Gerstad's cap, for the photographic quality is unusually high, and the production set off to superb advantage.

One must commend Director Stahl upon his excellent directorial taste, to say nothing of ability in handling so difficult a production. The Art-Director and Costumers likewise deserve credit; but the largest orchid undoubtedly belongs to Cinematographer Gerstad, who has handled a difficult assignment, in the face of unusual handicaps, and succeeded outstandingly.

"TOO MUCH HARMONY"

Paramount Production

photographed by **Theodor Sparkuhl, A.S.C.**

This production—an unpretentious though enjoyable little musical—is hardly one to bring to Cinematographer Sparkuhl the opportunities he deserves. It is excellently handled, nevertheless, with flashes of real cinematic originality here and there; especially on one scene in which Jack Oakie plays his most dramatic action entirely hidden in a deep shadow.

"MEET THE BARON"

Metro-Goldwyn-Mayer Production

photographed by **Allen Seigler, A.S.C.**

For some reason or other, when a studio attempts to make a picture starring a radio celebrity, it is often inclined to carelessness regarding the photography—reasoning, perhaps, that the voice is more important than the picture. In this instance, however, there is no such shortcoming, for Al Seigler, A.S.C., was assigned to the picture; and he has given radio's "Baron Munchausen" such a favorable camera treatment as is often missing from more important productions. In every way, Seigler's camerawork is of the highest class—radiating a quality all too seldom found in musical films. Walter Lang's direction, too, is noteworthy: from the few examples of his work we have seen, we will venture to state that he is one of the few directors who really understand the nature of the sound-film. His understanding of rhythm and the use of sound and silence is undoubtedly the best on this side of the Atlantic. He might, however, have spared us the excessive use of Optical "Wipes" in the early sequences, even though Irving Ries, A.S.C., accomplished them expertly.

"THE INVISIBLE MAN"

Universal Production

photographed by **Arthur Edeson, A.S.C.**

special effects by **John Fulton.**

This production is primarily an achievement in special-process photography, and is as such worthy of the greatest study; a goodly proportion of the film's footage comprises Special Effects work of the most difficult type (I'll wager there are many professionals who would like to know how

(Continued on Page 342)

Greeted With APPLAUSE

EASTMAN Background Negative is winning wide acclaim among the many producers and cameramen who have already discovered its possibilities. Its remarkably fine grain meets the prime requirement of background shots that are to be projected and rephotographed. Other qualities . . . particularly a surprising degree of speed . . . give it a potential versatility that may well lead to finer photography in other directions. Eastman Kodak Company, Rochester, N. Y. (J. E. Brulatour, Inc., Distributors, New York, Chicago, Hollywood.)

EASTMAN
Background Negative



WHEELS OF INDUSTRY

35mm for Rolleiflex

• According to an announcement from Burleigh Brooks, American distributor of the popular Rolleiflex camera, there is now available for that camera an attachment that makes it possible to use 35mm film.

This attachment consists of only a few parts: a new back that hinges to the back of the camera in the same manner as the regular back; a film guide that snaps in place and a mask to fit in the focusing ground glass to show the correct size.

The film cartridge holds sufficient 35mm motion picture film to make thirty-six exposures, double size frames and is loaded much in the same manner as the regular film. The film counter located on the back of the camera is then set at No. 1 and the transport of the film is effected by pressing down on the lever on the side as with the ordinary film. The perforations of the film as it passes through the camera operate the film counter. There is also a device to cut the film and remove it for developing before the film is fully exposed.

Rolling Tripod

• Andre Debie, Inc., announces a rolling tripod. This rolling tripod is said to be an improvement on the so-called "dollies" since it can be operated by the cameraman himself, steers easily like an automobile, raises and lowers and is so constructed that the legs are not in the way of the cameraman or his assistant.

16mm Film Laboratory

• Sunny Schick, motion picture equipment broker and owner of the Atlas Film Company, announces the opening of their new DuPont Film Laboratories which will occupy new quarters in their newly constructed building at 401 W. Washington Boulevard, Fort Wayne, Indiana.


The plant is of the latest type in construction and its capacity is the developing of 500 rolls of movie film per month. The plant is fully equipped to handle reversing process of film as well as duplicate printing and enlarging. Also the development of Leica and Contax strip film and the printing of same.

Mr. R. D. Kimmel, formerly of Des

Moines, Iowa, well known as a film specialist is in charge of the Atlas Film Company plant as supervisor.

16mm Direct Viewer

• The Bell & Howell Film Editor has been improved by the application of a new picture viewing unit, the Bell & Howell Direct Viewer.



With this new unit, the picture image is cast upon a translucent glass screen, $1\frac{1}{2} \times 1-1/16$ inches in size, where it is visible from a normal sitting position. The picture is studied with all the comfort and freedom from strain that characterizes actual movie projection.

16mm film is drawn through a scratch-proof channel, in the new Direct Viewer, just as in the former viewing device. The channel has upper and lower plates which are hinged to open wide for inserting and removing film. Another hinge permits the entire unit to be swung back behind the path of the film when rewinding.

New Leica Lenses

• E. Leitz, Inc., announces a new fifty millimeter lens, the Summar F:2, which possesses important characteristics. This lens, due to a revolutionary optical design, produces needlesharp crispness, even when used at its widest aperture. Because of this, it is not to be confused with so-called "speed lenses," according to the announcement, which sacrifice sharpness and definition for the sake of speed. It may therefore be used as an "all-purpose" lens on the Leica. When stopped down, its sharpness and depth

remain normal as is customary with the more normal lenses.

A new 35mm Hektor lens is announced with the Summar lens. This lens is identical to the Elmar lens of the same speed and focal length, but its lens design is quite different. It possesses a remarkable flatness of field and color correction, hence is a valuable lens for those who require these qualities.

Both the new Summar and Hektor lenses may be obtained in the regular or chromium mountings. The Summar comes in two styles, one a fixed or rigid mounting, the other in collapsible form like the other 50mm Leica objectives.

Exposure Calculator

• Burroughs Wellcome & Company announce the publication of their 1934 Photographic Exposure Calculator and Handbook. This little book with its many formulas and authentic photographic information together with its method of calculating exposure has been the guide for many photographers during the many years it has been published.

Its novel exposure calculator based upon latitude in which the picture is being taken and the speeds of the various types of film both motion picture and still has always been a very fine feature of this little book.

Industrial Pictures

• According to an announcement from Castle Films, sound-on-film motion pictures for business use in the United States and Canada will henceforth be made exclusively with RCA-Victor Phonophone equipment. A contract just signed by Castle Films gives this company full rights to Phonophone facilities for its nation-wide work in the business motion picture field.

In addition to the RCA-Victor Phonophone recording equipment, another RCA-Victor development, 16mm sound-on-film, is being employed by Castle Films. The perfection of sound pictures on 16mm film makes this medium both practical and economical for advertising and sales promotion work. With the new film, showings can be made to large audiences with equipment that can be packed in two cases that one man can handle.



Leicaphoto by Phil Chancellor, A.S.C.

AMATEUR SECTION

Contents . . .

1933 Amateur Medal Winners	321
MECHANICS of 16mm Titles by Carl Holmes	322
AN Amateur Steals the Show by Al Hilger	325
THE One, Two, Three of Lighting by L. Guy Wilky, A.S.C.	326
I AM At It Again by Ramond Harvey	327
A BACKYARD Continuity by Marie Stewardt	328
AMATEUR News	330

Next Month . . .


• **PROFESSIONAL** Criticism of the Amateur picture is a part of the service offered by the **AMERICAN CINEMATOGRAPHER**. Many are not aware of this. Hundreds of pictures have been reviewed this past year by members of the American Society of Cinematographers for the Amateur.

- Lack of space necessitated leaving out the story on Microscopic Kodachrome. This is a rather long story, but we promise it definitely for next month.
- There will be more about Interior Lighting. Next month's article will treat on lighting the set. The basic or over-all lighting for motion picture making.
- We have an interesting story on hunting with the camera that contains a fine hint on just how the Indians stalk some of their elusive prey. You'll like it.
- Of course there will be other stories both technical and otherwise that you will find helpful in your hobby.

GIFTS TO DELIGHT



Every MOVIE MAKER!!



TO BRING unbounded delight to any movie maker at Christmastide, give some item of the World's Finest 16 mm equipment or accessories . . . and "The World's Finest," of course, means VICTOR!

Such a gift indicates thought and foresight on the part of the giver . . . a desire to give future as well as immediate enjoyment. And the VICTOR trade-mark on your gift will identify it as the ciné-gift supreme! Ask Your Dealer.

Most sensational of all Camera Values is the **VICTOR 3** at \$67.50 with F2.9 lens. Five operating speeds and many other features. Finished in gold-flecked brown, with satin black and chromium trim. Available with Kodacolor.

The Ideal Gift . . . All-Feature **VICTOR 5** Camera with Visual Focusing, Reverse Action, 3-Lens Turret, 5 Speeds, etc. Has no equal at even twice its price. \$175.00 with Focusing F2.9 one inch lens. Available with Kodacolor.

The handy **VICTOR POCKET TITLER** permits making titles anywhere right in between shots. Models for Victor and Filmo Cameras, and for 1 in. and 20 mm lenses. Only \$6.75.




The **CAM-CANE** is a convenient accessory desired by all movie enthusiasts. Looks like a cane, serves as a tripod for any camera with standard tripod socket . . . \$9.75.

Most efficient of all 16 mm projectors is the **VICTOR MASTER** . . . Priced at \$123.50 and \$157.00. Illustrated with \$30.00 1600 foot attachment. (Kodacolor, \$28.00 extra if desired.)

What a gift for family, church, school, orphanage or scout troop . . . S.O.F. Talking Motion Picture equipment! The 16 mm **ANIMAPHONE** is priced at \$395 and \$510.


The **VICTOR Simplex FILM CLEANER** is a necessity if films are to be properly preserved. Removes dirt and keeps films conditioned. \$8.50.

Every Movie Maker wants more lenses . . . **SPEED, WIDE ANGLE or TELEPHOTO, DALLMEYER LENSES**, unsurpassed in quality, are most attractively priced: 1 inch, F1.5—\$55.00; 1.5mm F2.9—\$30.00; 2 inch, F2.9—\$35.00; 3 inch, F2.9—\$10.00. Ask for complete list.



VICTOR ANIMATOGRAPH CORPORATION
DAVENPORT, IOWA, U. S. A.
242 W. 55th St., N. Y. C. 650 S. Grand, Los Angeles

LET A VICTOR
DEALER
be your
Santa Claus



WORLD'S FINEST 16mm MOTION PICTURE EQUIPMENT

8 Mm. Picture Ranks High in 1933 Competition

WHAT will possibly be considered an unusual achievement and a signal recognition is the stride made by 8mm film and the position it assumed in the 1933 AMERICAN CINEMATOGRAPHER Annual Amateur Competition.

Making the classifications as few as necessary, but at the same time giving all entrants full recognition of their work both as to nature and quality, the committee confined the pictures offered to five classifications with an additional recognition for Photography.

The groups as they were finally divided included Travel, Home Movie, Educational, Scenario and Kodacolor.

There was no discrimination in this contest as to the width of film used. They were all placed into their respective classes regardless of their size, so that 8 and 9½mm competed with 16mm.

R. B. Clardy's 8mm picture "Cattle Country" in 200 feet showed a consistency of photography, a fine understanding of composition and a smoothness of continuity that might have done justice to an experienced professional. Especially worthy of comment were his titles. Because of his outstanding work Clardy was given the gold medal for Scenario Pictures as well as the gold medal for Photography.

In some of the classifications only one medal was awarded, as it was felt by the committee that the others in that classification just missed a second award classification.

By the method of judging, of considering the picture from the photographic, directing, technique, story, titling, editing, acting and entertainment standpoint, these pictures sometimes fell a point or two below the lowest average allowed for a medal.

To secure a gold medal a picture must be above the 85% mark. To secure a silver medal it must be above a 70% mark. While some almost reached this mark, unfortunately some phase of their work brought them just below the allowable figure.

It was felt by the committee by keeping these percentages reasonably high the recognition would be more highly appreciated and that the contest would not resolve itself into a recognition of the pictures submitted regardless of their quality, but judging them in comparison to each other.

While the percentages are not high, many would have reached the goal of silver medal and others would have outstripped those who were awarded gold medals if they had been more careful in their editing and especially in eliminating poorly photographed scenes. Some who had very fine pictures on the average submitted them with too much superfluous and repetitive scenes. Shots that did not help the picture or add to its interest as they were either so

M E D A L W I N N E R S

GOLD MEDAL for Travel . . . Ruth Stuart, Manchester, England, for "Egypt and Back With Imperial Airways." 1 reel.

GOLD MEDAL for Home Movie . . . H. B. Hutchings, Kansas City, Mo., for "Life." 1 reel.

GOLD MEDAL for Educational . . . F. C. Ellis, Yokohama, Japan, for "Rice." 3 reels.

GOLD MEDAL for Scenario . . . R. B. Clardy, Los Angeles, for "Cattle Country." 8mm. 1 reel.

GOLD MEDAL for Kodacolor . . . H. W. Voss, Fort Myers, Fla. "Gold Diggers." 1 reel.

GOLD MEDAL for Photography . . . R. B. Clardy, Los Angeles, for "Cattle Country."

SILVER MEDAL for Travel . . . Leslie P. Thatcher, Toronto, Canada, for "Mighty Niagara." 1 reel.

SILVER MEDAL for Home Movie . . . W. J. Seeman, Los Angeles, Calif., for "Prairie Schooner." 2 reels.

SILVER MEDAL for Educational . . . Dr. S. H. McAfee, New Orleans, La., for "Partial Denture." 1 reel.

SILVER MEDAL for Photography . . . Charles and Robert Coles, New York, N. Y., for "Cascade and World's Fair." 1 reel.

similar to those already shown, or a repetition of earlier scenes in the picture.

While it is recognized that they are personal records and a record of some special occasion or event, still it was very evident that they lacked that certain zest that wards off the proverbial yawns.

Three medals will go out of the United States. One goes to Japan, another to Great Britain and the third to Canada. Ten medals in all were awarded, six gold and four silver.

We feel that we must comment further on those given awards. "Rice," a three reel subject in the educational class entered by F. C. Ellis of Yokohama, Japan, demonstrated a fine appreciation of production and photographic values as well as how to combine it so as to make entertainment. Many were of the opinion that this picture, if it were in 35mm, would be worthy of professional theatre presentation.

Ruth Stuart's Travel picture, "Egypt and Back With Imperial Airways," was not only a fine example of consistent photography, but also showed a keen knowledge of editing and cutting that let the picture breeze along in an entertaining fashion.

"Life," by H. B. Hutchings, given the highest recognition for Home Movies, is the sort of picture that the 16mm camera was made for. It is a day in his son's life and con-

(Continued on Page 342)



Upper left Fig. 2. Upper right Fig. 6. Bottom is Fig. 8. On the left the title card drawn in negative; and on the right the screen result.

TITLES seem to be the bug-a-boo of amateur filmers. No part of his work more loudly proclaims his amateur standing. An old proverb opines that a thing is worth doing well, if worth doing at all. I think this explains the lack of quality in amateur titles. Too few amateurs are willing to give titles the care their proper manufacture entails. Titles are part of the picture, capable of making or marring the production. They cannot be successfully slapped in at the last minute—hastily scribbled, slovenly filmed, terribly inadequate. They require from first to last the keenest concentration of the maker. Much preparation is necessary before even a frame is exposed.

A title stand of rigid construction is required for everything but the most commonplace efforts. My stand (Figure 1) is made of heavy 4 x 4's dressed and shaped to hold a drawing board to carry the title to be filmed, and with the camera, a Victor, held in rigid (locked) position centered above the title. The camera is actuated by a handle applied at convenient height at the right of the operator. A Veeder counter is attached to the handle in such manner that each turn of the handle, for exposure of a single frame of film, also actuates the counter. In this way titles can be accurately timed and double exposure, or other trick effects, precisely placed. The handle will turn the camera either forward or backward for fades, wipe-offs, or other trick animations. Through a shaft running up one side of the 4 x 4, and with a universal joint, the handle is connected to the camera. This is the alpha and omega of animation—rigidity of position and ability to expose a single frame at a time. A means of visual focusing is provided, although all layouts are one standard size, and lenses are set to a previously determined distance and stop.

Obviously the simplest kind of job is the straight unanimated title, and needs no further explanation. The eight frames per second button on all standard 16mm cameras gives a comparable exposure. But say we wish to lap-dissolve one title to another.

There are three methods of making a fade in the camera: (1) manipulation of the shutter, (2) exterior fading glass, or similar gadget, and (3) manipulation of the diaphragm of the lens. The latter we may safely disregard as impractical and very doubtful, the former is restricted to those fortunate few who have the new Cine-Kodak Special. So we must make the most of what is left, the fading glass, or some similar exterior attachment.

Beneath my camera I have constructed a shelf (Figure 2), along which it is possible to slide the fading glass—a groove at top and bottom of glass would work equally as well were

Mechanics.

the camera mounted in a horizontal position. By marking on the glass and shelf the locations of no exposure and full exposure, it is easy to calculate a fade of any duration of time. Be sure you understand the principle of a lap-dissolve. Each frame should have 100 percent exposure (see Figures 3 and 4). After dissolving out it is better to turn back several frames farther than the dissolve to insure a smoother lap. A camera that will permit the rewinding of already exposed portions of the film is a necessary adjunct to a good lap-dissolve or wipe-off. It seems almost impossible to remove the film from the camera to rewind in a dark room without scratching the emulsion so badly that the effect were better never attempted.

The wipe-off can be accomplished in a manner very similar to the fade. Some thing must mask out one title while the other is being exposed. I have used a section of a Goerz mask box and iris attachment. Hanging this below the shelf holding the fading glass (Figure 2) it serves the additional purpose of being an ideal lens hood. A wipe-off cannot be secured by any manipulation of the camera save that of rewinding the film for the second exposure. The actual wipe-off is outside of the camera and is simply a masking attachment as explained above. By examination the exact points where the mask starts wiping and ends are determined. The space between is divided into as many units as we wish to have frames in the actual wipe-off animation. Starting, then, with the first copy, expose one frame for each position until the entire expanse has been masked off. Then while the lens is still covered, turn back the camera the same number of frames, adding one or two so the copy doing the actual wiping will slightly overlap the copy being wiped off. Then reverse the action; this time uncovering the lens so that the second copy photographs in the space masked out in the first operation, and the mask covers the part of each frame already exposed. The wipe-off should be feather edged, an effect much more to be desired than a straight hard line. Figure 5 demonstrates a wipe-off of about one and one-half seconds' duration. The wipe-off can be made diagonally—up or down—or from side to side. It can be fanned, or opened from the center, or vice-versa. A whole bag of tricks, yet easily accomplished with a black mask and a slotted holder.

Another interesting effect is the creeper, or rolling title. While the copy can usually be divided and lap-dissolved together, nevertheless there are times when the creeper is worth all the bother its true animation involves. I secured a round fiber cylinder into which I fitted wooden ends. Hanging this on a shaft beneath a hole in the table top provides an ideal out-of-the-way position, easily driven by a phonograph motor so geared that one turn of the handle (attached where it can be manipulated with ease), moves a point on the cylinder surface one thirty-second of an inch. (See Figure 6). A mathematical calculation therefore determines the length of the creeper, which can be either photographed with the stop action or continuously. In my estimation a creeper should come out of nothing and go the same place—not slide out of the bottom and disappear at the top frame line. A curved surface to bear the copy provides a perspective approach for the lettering. Then in addition a vignette is necessary at the top and bottom. See Figure 7 for a sample rolling title properly vignettied.

of 16mm. Titles

by

Carl Holmes

Author, "abc of Lettering"


It might be well to take up here the two types of titles: direct positive and negative. In the latter classification we may include reversible film, in which the negative is printed upon itself.

Direct positive titles are those shot from negative layouts, producing, when developed, a positive for projection. (See Figure 8). All reversible film is in reverse position from left to right when viewing the emulsion side. This is due to the process which eliminates a negative—the negative having been printed upon itself and destroyed. Luckily our direct positive title will, therefore, match the reversible film with which it is to be used, the lettering reading backwards when viewing the emulsion side. Thus the copy printed in black on a white card will produce a title with white letters on a dark background. Dark backgrounds are always more suited to titles due to the minimizing of flicker in projection, and of more nearly matching the average scene in color. Because of the relatively large expanse of white in the copy, which fully exposes the silver of the film emulsion, double exposure trick effects possible to the negative, or reversible film, are practically impossible with direct positive titles. Notwithstanding this fact, some mighty clever stunts have been done, and a little ingenuity will solve what seem insurmountable difficulties. I have read many articles on title making which purport to demonstrate the proper procedure for direct positive titles and which instruct the maker to develop "as a negative." Most emphatically, the present writer claims, the title must be developed as a positive—it is positive film, and the developer should be a high contrast formula. Formulas are given later in this article.

In the realm of negative, or reversible titles, the sky is the limit on trick effects. Double or triple, or any number of exposures are possible, as well as movements the mechanics of which are not registered upon the film due to their dark color. In this category is an effect we might call a drop-in. The letters appear from the plane of the audience and with a hawk-like swoop fall into place. I accomplish this trick by means of screens on the sides of the title stand which transform the stand into a light tight dark box (Figure 9). Using a transparent title on a frame attached to the table top and illuminated from below an effect similar to Figure 10 is secured. The whole secret consists in excluding light from above which will register the mechanics of operation. Zooms, moving backgrounds, or whatever you will, will perform to perfection in such a layout.

We will now consider the artistic side of title making. There are a few rules that if strictly adhered to will greatly

improve the quality of any film production. One is to keep borders and decoration simple and modern, unless for a given



At top Fig. 1. Center Fig. 7, and bottom Fig. 9.

a	Antiquity	n	SPEED
b	COLDNESS	o	<i>Femininity</i>
c	MONOTONY	p	Smartness
d	<i>Quality</i>	q	BEAUTY
e	BOLDNESS	r	STYLE
f	SOPHISTICATION	s	<i>Emphasis</i>
g	TRIVIALITY	t	Legibility
h	DIGNITY	u	JAZZMANIA
i	<i>Craftsmanship</i>	v	SYNCRATON
j	Cleanliness	w	Individuality
k	strength	x	Cheapness
l	SINCERITY	y	PERMANENCE
m	RUGGEDNESS	z	modernity

out	100%	90%	80%	70%	60%	50%	40%	30%	20%	10%	0%
in	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Type chart at top in Fig. 11 and is reprinted by permission from "ABC of Lettering." At bottom the typewritten portion exemplifies the theory of a true lap-dissolve.

purpose you wish to establish a certain mood or atmosphere to your picture. The titles are there to bridge gaps impossible to tell in pictures and except in main titles, should do their work as unobtrusively as possible. Needless to say a single border or decorative unit should be used throughout a picture. Never jumble up the picture with different borders or style of decoration. All great works of art manifest absolute unity.

Keep lettering, likewise, severely plain and legible, preferably displayed on a plain background. Lettering, or type choice if you will, is the "big bad wolf" of titles, and you had better be plenty 'fraid. Remember, words are signs and symbols whose real meaning lies in the "pictures" they flash to the mind of the reader (Figure 11). Picture your thoughts in raiment compatible with what you wish to imply as well as express. Don't blame your audience if they interpret your type choice by the conventions long usage has established in their minds. Don't permit the titles to be the weak link that ruins an otherwise perfect production. The way the letters are drawn, or the choice of a type face, are not mere incidentals to title making, but most efficient tools in the hands of one telling a story through the medium of a silent motion picture.

The sound picture can tell all, the silent must suggest, and type itself may vividly suggest many ideas and moods. It is equivalent to manner of speech; to the way an actor might read his lines.

Long usage has decreed that spoken titles carry no border or decoration. They are usually set in Italic, and may or may not carry quotation marks.

Always keep in mind this fact—titles are the means to an end, not the end in itself. In a stunt or comedy film you may shooth the works, but drama, industrials, educational or travel subjects require that their titles be sub-merged for the good of the whole. The perfection of art is to conceal it.

Direct positive titles are made on positive film stock, due to its greater contrast, and more economical price. You will find Gevaert or Dupont positive stock to be much more

contrasty than Eastman®, but if you have delicate pictorial tones to reproduce, Eastman is the one to use. Of course you can make titles on regular reversible film, but this necessitates a positive layout, which involves considerably more labor. No more labor, naturally, if the title is hand drawn, but if type set, some means of reversing the black letters to white must be invoked.

For pictorial work I use the Eastman No. 16 formula, as follows:

Water (about 125 deg. F.)	64 oz.
Elon	17 grains
Sodium Sulphite, desiccated (E. K. Co.)	5 oz. 145 grains
Hydroquinone	350 grains
Sodium Carbonate	2 1/2 oz.
Potassium Bromide	50 grains
Citric Acid	40 grains
Potassium Metabisulphite	85 grains
Cold Water to make	1 gallon
Develop at 65 deg. F.	

For snappy, contrasty effects this formula is by far the better:

Hydroquinone	1 oz. 262 grains
Sodium Sulphite (E.K.Co.)	4 oz.
Sodium Carbonate (E.K.Co.)	1 lb.
Potassium Bromide	1 oz.
Water	1 gal.

Develop at 60 to 65 deg. F.

And for really deep blacks you will have to intensify. Good formulas for this were given in an article by William Stull, A.S.C., appearing in the July 1933 issue of this magazine.

After your film has been cleared in the hypo bath, and thoroughly washed, rinse for two minutes in the following glycerine bath:

Water	1 gal.
Glycerine	3 oz.

This will last indefinitely and will help materially in maintaining flexibility in the film. Most amateur processors turn out brittle, badly curled film which "breathes" when projected.

Before hanging up to dry, wipe off all excess water with a moistened pad of surgical cotton. After once hanging up do not change position or water spots may result. It is understood that you are hanging up short sections of film. If

(Continued on Page 341)

Upper left Fig. 10, and lower The strip at the right is Fig. 5. left Fig. 4. This shows intermittent frames of a one and one-half second lap dissolve. The frames in the order in which they are shown are 1st, 3rd, 8th, 10th, 16th, 22nd and 24th.

Agfa film is not mentioned only because the writer has not had the opportunity to use it. This article is the story of a personal experience and should not be construed as the magazine's endorsement of any material or product.





Hilger gives us a conception of himself nonchalantly "flickering" the stage show. He's now looking for the "fan dance" to complete his record.

An Amateur Steals The Show

by

Al. Hilger

Cinephotographer

OFTEN during my life have I heard the old adage: "The world is your oyster—if you find the way to open it!"

Which enigmatical saying generally interpreted means that if we crack the hard shell of our daily existence in the right place we can find all sorts of fun, pleasure, profit and interest all around us.

Never, however, until I came into possession of my first 16-millimeter camera did I realize the full truth of this adage—make this cockeyed old sphere of ours open up and disgorge pastime, hobby, amusement and entertainment for myself and hosts of my friends and family to boot.

I have focused on racing fillies coming under the wire, panned parachute jumpers plummeting to earth, shot the family silly, even unto the third and fourth generation, close-upped a President of these United States but never in five years of picking or making my "shots" have I gotten the zip, the kick and the happy results out of a camera experiment or achievement as the one I'm now going to tell you about.

It may sound and seem like poaching; it may appear difficult—even impossible—but it's worth trying. I did it. I shot the complete, fast moving action of a colorful stage show. In the theatre—as one of the pay-as-you-enter customers! Not only once but several times; in several different theatres.

And here's how: I live in a metropolitan city in the Middle West—one which is well up in the first division of big towns of the country. A city with a half dozen or more de luxe motion picture theatres presenting elaborate stage revues in conjunction with their screen feature. Therein, I admit, I am more fortunate than many who will read this. But, there are a lot of these sort of cities and 16-millimeter camera owners in them.

When subjects fitting my growing skill and equipment began to run scarce I hit upon the idea of attempting to film a stage show. I used a Victor turret model with an f:3.5 lens—okay for a well lit stage. Where the stage and action is lit by one or more spotlights an f.8 will suffice.

Realizing that this was big game stuff, I loaded for b'ar

—using supersensitive panchromatic film, which as you all know is three times faster than regulation under artificial light. Leave your tripod at home; it may cause you and your camera to make a forced exit to the street. Buy a balcony seat and pick a matinee or evening supper show as the best time to find a spot in the first row and give you some elbow room. That first row, center seat, along the rail is one of the most important items in your preparations.

From then on the rest is up to you and your skill as a cameraman—not forgetting either the quality of your "box." Dancing teams, acrobatic acts, in fact any portion of the entertainment that has fast tempo and action should be your meat. Don't waste effort on the static stuff—monologues or dialogue bits where the actors are more or less stationary doing their routine.


Dancing acts—adagio teams, chorus steppers and acrobatic stepping make ideal pictures. Usually a spotlight is focused on this sort of action. The light is generally a brilliant white, happily enhancing your photography. Sometimes it is soft blue or amber. Don't be afraid to shoot then. I have obtained some very unusual effects with this sort of lighting. Just make sure of one thing—keep 'er wide open!

There may be a question on the part of some readers as to possible resenting of the whirr of the camera by those sitting around one while filming. Using a Victor, as I said before, for this sort of filming adventure I have found the operating noise negligible. Anyhow, the blare or chorus of the accompanying music usually drowns out such probable handicap.

"What about close-up stuff?" I have been asked by camera kamerads. Your 3¼ or 4 inch lens fulfills every such need—even from the second or third row in the balcony.

Believe it or not, I obtained one of my best pictures of a stage show subject shooting from the last row of the balcony. It was the celebrated comedian, Joe Cook, and a big colorful revue of his. A 3¼ lens did the job—and a sweet one. The footage is now among the most prized—and most entertaining—in my private film library.

So, despite the pessimistic words of Ecclesiastes, there is still something new under the sun—for the growing and vast army of 16-millimeter entrepreneurs, anyhow.



The above sketch shows the effect of one light properly placed. This must be the basis of lighting and is explained in detail in the article.

The One, Two, Three of Lighting

by

L. Guy Wilky, A. S. C.

FOR basic photographic, indoor lighting you need three lights. If not three lights, at least three light sources. I say three light sources as you might be able to effect some of this lighting with reflectors or with the light coming from the outdoors if you take the picture during the day.

The study of lighting would naturally start with the human face. We must determine the most complimentary lighting of a face. Experience has taught that a light placed at about a 45 degree angle from the face a little high, so that it throws shadows around the eyes as shown in the sketch and so that it throws a highlight on the cheekbone opposite from the light, is the most complimen-

tary lighting a photographer can use. Now, however, we have created some very deep shadows, as the sketch indicates, around the eyes and on the opposite side of the face. To soften these shadows the second light is placed at the opposite side of the face, a greater distance from the face than the first light and at about shoulder height so that it shines up a bit to kill the shadows around the eyes, under the nose, chin and other points that the first light, which is pointing down somewhat, necessarily creates.

This second light is placed at a greater distance so as to give a contrast in the lighting of the face. If it were placed at the same distance as the first light the lighting, as it would photograph, would be very flat. This arrangement still gives you the highlight on one side of the face and on the opposite cheekbone with the second light softening the shadows and bringing that side of the face out in softer photographic qualities. Frequently you will secure a much better effect if you place a diffusing cloth over the second light. This of itself will cut down its brilliance and as we say will not "burn-up" the subject. You see, some lights give what is commonly called a "hot-spot," that is you get a small circle of light in its focusing point that is more intense than the complete circle of light thrown by your lamp.

Now the third step is the placing of a light in back of the person to give you back lighting; to outline the person. Whether you place this high or low depends upon the effect you wish to secure. Frequently it is placed high to bring out the hair. This is especially true if the hair is dark. However, we say the placement of this depends upon the effect you are after. You must be careful not to let it interfere with your front lighting; that is in such a way as to kill the shadow effect on one side or to bring out too strong a high light on the other side, unless, of course, you are desirous of getting just that effect.

A low light as you know will shine through loose strands of hair and gives a very pleasing effect. This possibly can be used more with blondes than with brunettes because their hair naturally photographs light. Also your background compared to the person and their clothes will effect the placement of this light. If the person is wearing dark clothes and the background is dark you will want to outline the entire figure of the person.

In motion picture work it may require that you use a second back light as the person is moving about. It might be advisable to stagger these back lights the same as the front lights so that you do not have a lighting that does not permit them to walk out of both lights at the same time. Also the staggering of the lights will let you have a high-light from one of the lights at all times when they move away from one light toward the other light.

There is no hard and fast rule on lighting; the number of feet to place a light, etc. This must be determined by the effect you wish to secure. Of course there is a rule of the maximum distance you can place a light with relation to the subject, for this reason we are not going into the subject of the distance these lights should be placed from your subject. You will find all of that data with every roll of supersensitive film you purchase. Furthermore you will find from experience just how to secure the effect you will want. Whether a high key or low key photography will depend upon the distance you place these lights, the diffusion of them and the stop you use on your camera. Each individual usually works this out for himself. They interpret their own feeling and their own artistic tastes by the use and placement of lights in the set.

I Am At It Again

by

Raymond Harvey,

Cinephotographer

'M At It Again. This time it's a focusing tube, alignment gauge, sunshade, filter holder and a sliding lens mount.

Something like a year ago I finished my own 16mm camera and felt I had about everything incorporated in it that I should want. However, when I started shooting I would find a few shortcomings here and there, that is, additional conveniences I wanted.

I own a couple of Victor cameras, so decided to experiment with one of them as my basis.


With the rewind feature now available in that camera I now feel I have something that is going to keep me satisfied for at least another year.

The illustrations on this page give you a more or less clear conception of the construction of the sun-shade and sun-shade holder. So as to get away from having different mountings for each lens to hold this sunshade I made it to rest on top of the tripod or I can fasten it directly to the camera for hand manipulation. This shade will slide fore and back depending upon the focal length of the lens. It has a holder for filters and mats. I made the bellows from the bellows of an old still camera. However, this shade has one additional important feature which is more apparent in the top illustration. It is that portion which extends up in front of the focusing tube. In this extension I bored a hole. By means of this I am able to fasten the slide in which the lens is mounted so that when the camera is racked over by means of the alignment gauge the lens comes directly in front of the focusing tube. By this arrangement you will observe that the lens is always in the same position relative to the sunshade. In other words, the lens and sunshade remain stationary but the camera moves.

The center illustration gives you an idea of how this sunshade and alignment gauge is constructed. By turning the little crank in the rear a turn or so I move the camera in either direction either away from the lens or in front of the lens and in taking position. When the camera is moved away from the lens, the lens then is centered on the focusing tube, and in view of the fact that the lens is always in the same position I can view my scene through the focusing tube just as it will appear on the screen. This is mighty fine for close-ups, titles and such scenes where I do not have to pan, as it is not necessary for me then to look through the view finder at all.

Also with the adjustable view finder of the Victor it is possible for me to adjust it with the picture I see through the focusing tube so that I always feel certain that what I see in the view finder I am getting on the screen, as I have checked it accurately.

The focusing tube gives me an upright picture. I have arranged the optics in this so as to give me the picture up-



Top photo shows sunshade thrown away from lens. Center alignment gauge handle and bottom lens in front of focusing tube.

right instead of reverse, as is generally the rule with positive optics.

The sliding lens mount meant that I had to reconstruct the front plate of the camera which usually contains the turret head. The lens is merely mounted on a metal slide. In this slide I have made a threaded opening which is absolutely the same relation to the film as was the standard mount. This of course was necessary in order to take care of my focus. Also it was necessary to have very accurate measurements of the distance between the ground glass of the focusing tube and the lens itself. These had to be identical so that my focus on the film would be the same as the focus I secured through the tube.

The alignment gauge also had to be very accurate. The

(Continued on Page 331)



A Backyard Continuity

by

Marie Stewardt

I AM the one who must think up the plots and ideas for the taking of pictures in our family. The great desire to expose film is firmly and deeply lodged in the bosom of the male. But what to take is put up to me more and more as this virile bug bites him occasionally since he took the first pictures which included the youngster and the rest of the family as well as birthdays, Christmas parties, Halloween and other events.

Now those in between time pictures are the ones that make us sit down and wrinkle our brows prematurely—or possibly I should have said my brow, because it is entirely up to me.

I suppose human nature is human nature whether it is here in these fair United States or in Eskimoland and when the first flush of a new season slithers through our windows some morning the obsession "That now is the time to put something new on photographic emulsion" must be satisfied.

Knowing this I anticipated winter several months ago and decided to prepare a little continuity against the day when the 16mm germ again attacks the cinephotographer of our home.

My snow boots are going to be the hero of this picture. It is to open with a close up of me pulling on a woollen sock, this will pan over to the hand reaching for the boot; pulling on the boot and then starting to lace it. It will cut from here to the boots walking out the front door down the steps. Then the camera will be placed in front of the boots showing them walking down the steps until they reach the last step. As the right foot is to step off we will cut with that foot half way out.

Now remember this is made without any snow outdoors, so we have to wait from that point until we have snow. Then we will go to some nearby resort or playground and have those boots again on the last step and this time starting the action with the right boot where it stopped in the scene at our own home. This time, however, it continues its action and steps into the snow, walking toward the camera. Then the camera will be placed in back of the boots and they will walk forward with the camera gradually taking in the entire person.

From here on we decided to let circumstances take their course; showing skates being put on the boots and then scenes of skating. Showing the boots alongside of a ski and then the ski slide. Maybe just a bit of rough house. But as the action and the incidents continue take occasional flashes of the boots, showing them getting wet and wrinkled from the activity.

We will show them in association with other boots of people in the party just tramping. We are going to try what is sometimes termed a "dolly shot" in the studios by mounting the camera on a sled and endeavoring to pull it smoothly over the snow, showing these boots walking through the snow. Of course, there will be the trek with snow shoes through some virgin snow if we can find it.


The boots will act as the excuse for the picture. The family and friends will be running through it in the activities of the day.

The wind up, however, will find the boots just dragging themselves through the snow, wet, wrinkled and thoroughly used. The last scene will be back in the house again. The same setting as the first scene. Showing the boots being unlaced and as they are set down they sort of fold up on themselves and topple over dead tired.

That's going to be our snow picture this year. If one had some of these more modern devices that are on the later cameras such as winding backward, all of this action could be smoothed out very wonderfully by lap dissolving and fading at different points. Especially from one type of sport to another and from a close-up of the boots themselves to the activity that is being pursued.

This gives us a picture that will not require any titles, excepting the main title, of course, and if necessary the name of the location if it is some place that we go to especially for a holiday.

I find one drawback in being the scenarist in the family and that is that the cutting and the editing of the film is slowly but surely becoming a part of my work. The camera master of our home is patting himself on his back with his photography and other technical phases of the camera, so I have decided to have a stock title card made which will say, "Story, continuity, cutting and editing by yours truly." Maybe that will show him who the boss is around our house.



STUDIO CAMERA EFFECTS

*at home with the
professionally
versatile 16 mm.*

CINÉ-KODAK SPECIAL

PRECISION-MADE, custom-built, Ciné-Kodak Special provides many facilities previously available on only the finest studio cameras. The economy and convenience of 16 mm. film need no longer impose any restrictions on your movie making ambitions.

Ciné-Kodak Special, with Kodak Anastigmat $f/1.9$ lens, double lens turret, one 100-foot film chamber, set of six masks, constitutes the standard model which is priced at \$375. Other accessories extra. Estimates will be gladly furnished on alterations for your specific needs. For further details write for the handsome Ciné-Kodak Special Book.


Some of the Special's unique and unusual features are ground-glass focusing with any of six lenses interchangeable on its double lens turret, variable shutter for fades and dissolves, 8 to 64 frames per second speed control, mask

slot between lens and film, spring motor drive, hand crank for forward or reverse winding, single frame button for animation effects, interchangeable 100-foot and 200-foot film chambers for switching from Panchromatic to Kodacolor Film.

GIVE MOVIES *to your FRIENDS this Christmas*


This fine "Sixteen"

Ciné-Kodak K may be had with either $f/3.5$ or $f/1.9$ lens, interchangeable with any of five supplementary lenses. With $f/1.9$ lens it makes Kodacolor movies as well as black-and-white. Price, complete with carrying case to match, with $f/1.9$ lens, \$150; $f/3.5$, \$110—in blue, black, or brown genuine leather. Ciné-Kodak M, fixed-focus, with $f/3.5$ lens, only \$50, including case and portrait attachment.



Or this Economy "Eight"

Ciné-Kodak Eight, Model 20, is a thoroughly dependable movie camera, producing clear, sparkling black-and-white movies on a $3/25$ film taking 20 to 30 full-length scenes. Yet it is priced at but \$29.50; Model 25, with $f/2.7$ lens, \$44.50; Model 60, with $f/1.9$ lens and case, \$79.50.



*If it isn't an Eastman,
it isn't a Kodak*

Eastman Kodak Company, Rochester, New York

Sierra Club Has New Officers

• This is the season for elections. The Sierra Cinema League of Fresno has elected their officers for the coming year.

E. E. Hollister was elected president, B. H. Casebolt, vice president, and R. C. Denny, secretary and treasurer. All three of these men are enthusiastic cinephotographers. Both Casebolt and Denny are inclined toward the mechanical and make most of their pictures via the negative and positive method, developing their negative and doing their own printing.

Pittsburgh Club Reorganized

• In September this year the group of cinephotographers which formerly composed the Amateur Motion Picture Club of the Academy of Science of Pittsburgh was reorganized into the Pittsburgh Amateur Movie Club, an independent organization. This club starts out with a nucleus of 75 members and it is the anticipation that it will have a roster of between 100 and 200 members within the year.

C. Lynn was elected president; A. W. Ginn, vice president, and Dr. Joseph A. Boarts, secretary and treasurer. The club will hold monthly meetings.

Metropolitan Club Entertains

• At the November 9th meeting of the Metropolitan Motion Picture Club of New York City they will have as their guests of the evening the Mount Kisco Cinemats headed by Dr. Charles F. Chapman, president. The Mount Kisco organization will present two pictures made by their members. One is entitled "Ceramics," which shows in complete detail the old time process of pottery making; the other is "The Night Call," which tells the story of a busy doctor's life through the portrayal of incidents surrounding an operation for appendicitis.


The program will also include the first of the informal contests scheduled by this club for the year.

Chicago Completing Fair Picture

• The Chicago Cinema Club is reaching the "last round-up" on its documentary pictures of the Century of Progress Exhibition.

Through the cooperation of Colonel Randolph Major Lohr and the officials of the Century of Progress much material has been accumulated by the members of this progressive club, including special events, scenic effects and the important material of a record nature.

Now that the fair has closed and the stream of visiting friends and relatives have dwindled, work on the editing of this picture will be started.



Zutto Dollies His Victor Camera

• Harry Zutto, who in association with the Zutto Players of Los Angeles has made several 16mm dramatic productions, has turned his facile mind toward the mechanics of picture making and in his latest production "Awakening" has employed the dolly for follow-up shots.

The illustration on this page not only shows the dolly as Zutto has made it, but also several other accessories which are made a part of the camera and dolly. Of interest is the light in the front and of course the contrivance he has built in front of his lens. In some near future issue we will give you the details of this gadget.

Warner Heads Chicago Cine Club

• At a recent meeting of the Chicago Cinema Club officers were elected for the new club year. Those voted into office were: S. F. Warner, president; Warren R. Sandage, vice president; H. W. Clark, secretary, and H. W. Macomber, treasurer. The program committee will consist of G. S. Bowstead as chairman. Bowstead acted as president during the past year. Others on this committee include J. D. Brubaker in charge of film activities, George R. Turtle in charge of study groups and N. E. Johnson in charge of awards and contests. Chairmen of six other committees were elected. They were George R. Turtle, Finance Committee; Ray Carlstrom, House Committee; E. J. Hamme, Membership Committee; C. A. Paulson, Technical Committee; Paul Klugh, Adjudication Committee; Warren R. Sandage, Century of Progress Special Film Committee.

Boston Club Offers Prize Pictures

• At the presentation of the American Cinematographer's 1932 Amateur Prize Winning Motion Pictures by the Boston Cinematographer Club an audience of 230 cine enthusiasts were present to view this offering, according to T. H. Patten, secretary of that organization.

Much enthusiasm was evinced by all those present, according to report, at the work done by those who made these pictures.

The club is now active on a group production which will bear the title "Bums in Uniform."

Great Britain Launches 16mm News Reel

• One of the aggressive Great Britain 16mm concerns, Fox Photos, has launched a monthly 16mm news reel which they are releasing under the general title of "Film-At-Home News." According to the news coming to this country on this venture it is stated that this news reel is produced and directed by journalists.

Whether this release will parallel the professional news reel has not been stated, but whatever its policy is in relation to the professional subject will undoubtedly have some bearing upon its success which will be eagerly watched by all 16mm distributors throughout the world.

Miniature Camera Book

• George W. Hesse, who has contributed several articles to this magazine and other publications in the photographic field, has authored a 62-page book which is given the title "The Book of the Miniature Camera." It is published by the Fomo Publishing Company and is another of their series of 50c publications on the popular miniature cameras.

The booklet touches upon many phases of miniature photography in Hesse's usual thorough manner, giving details of many small cameras, the use of enlargers, exposure meters, formulas and the many other details which the miniature enthusiast will use in the pursuit of his hobby.

L. A. Club Closes Contest

• The annual contest of the Los Angeles Cine Club officially closed with its November meeting when the nine pictures selected by the Club Committee were turned over to the AMERICAN CINEMATOGRAPHER for final decision. Winners will be announced at the Club's December meeting, at which time new officers will be elected for the ensuing year.

for Outdoor Night Movies

NEWMANLITE FLARES

Used by famous explorers, naturalists and camera men in darkest Africa and tropical America, Newmanlite Flares provide the one, exclusive method for taking Outdoor Movies at Night.

Equally suited to the requirements of both the professional and amateur cinematographer, Newmanlite Flares enable one to obtain BEAUTIFUL and VIVID effects in WINTER NIGHT PHOTOGRAPHY.

Fine granularities in snow, light and play of shadows on the wintry expanses photograph as never before.

Their use, however, is not confined to night scenes; they can be used in dense woods, at camp-fires, during cloudy days, for back lighting effects and under conditions of poor natural light. It is the most effective illumination known for the world outdoors, one flare equalling 75,000 candle power.

Further information on request.
AT ALL DEALERS

I. C. Newman Co., Inc.
6 East 45th St. New York

I Am At It Again

(Continued from Page 327)

lens must be perfectly centered on both the film aperture and the focusing tube aperture.

All of these gadgets do not mean that I cannot use the camera in the conventional way in the hand. The only addition to the camera itself when taken off the tripod is the focusing tube at the side.

While the lay-out may sound a bit elaborate and intricate, still it is very simple and has given my camera a great deal more flexibility with not much additional equipment.

Mechanical Engineering

(Continued from Page 315)

missible with these lenses; and what is done is to cement them to holders by means of a layer of that viscous solid pitch. The solidity of pitch withstands the forces applied to the lens in grinding and polishing, while its property of flowing slowly ensures that the lens is held without strain.

But the pitch must have the right degree of viscosity and this must be uniform throughout the mass; the means of ensuring these things or mitigating the ill-effects of their absence was one of the secrets of the skilled artist-craftsman. During the War, Leicester had to produce lenses of the highest accuracy in considerable quantities and for many purposes. The supply of skilled craftsmen was totally inadequate, and we had to find means by which unskilled help could do work at least as good as that previously done only by craftsmen of long experience. This was in its true and broad sense a mechanical engineering problem.

By employing disks of glass with two polished flats at opposite sides of their perimeters, and viewing the glasses by polarized light transmitted through the flats with an apparatus known as a Babinet compensator, we were able to see the strain produced in the glass when one surface was heated by applying hot pitch. We saw the strain released as the pitch and glass cooled, but if the pitch, or portions of it, were truly solid and not a viscous-solid, some strain of the glass remained permanently. If, on the other hand, the pitch was not sufficiently solid, the strain disappeared soon.² Thus a test for the quality of pitch was established, and we learned that it must be self-annealing at ordinary temperatures and, for example, retain some strain for half an hour but none for an hour. For shop practice an equivalent test was substituted in the form of a Brinell test applied for a standard time.

And then we saw that the artistic method of the old craftsmen had been essentially the same, for he chewed the pitch to test it, that is, he made Brinell tests with a time factor by means of his teeth! His was a qualitative rather than a precise quantitative method, and it took him many years to learn. But as an art based on tradition and upon habit gained by experience, in what respect we must hold it!

Besides holding individual lenses without strain, pitch is used as shown in Figs. 20 and 23 for attaching numbers of lenses simultaneously to one holder with their surfaces conforming to one geometrical spherical surface, so that for economy they may be ground and polished together as one unit. But this of course is not possible with deeply curved lens surfaces, some of which must be worked singly.

WILLO CINE METER



(The new model with film speed selection)

**Gives absolute accuracy with
UTMOST SIMPLICITY**

No calculating—

No adjusting—

No turning

A ONE-HAND Meter

- reads correct stop DIRECTLY.
- shows exact 16mm picture limits.
- is a FINDER as well as exposure meter.
- you see what you aim at.
- scales permit instant reading of any cine exposure problem.
- Adjustable for different film speeds.

It fits the pocket—and
fits the purse.

Price \$8.00

Including Sole
Leather Case

WILLOUGHBY'S

World's Largest Exclusive
Camera Supply House.
110 West 32nd St., N. Y.

Prior to the War lens-polishing machinery of the kind already referred to, comprising one or two cranks and connecting rods to move the tool and weights to apply the necessary pressure, were in general use. But the eccentricity of the cranks, which determined the size of orbit of the upper tool, the eccentricity of that orbit with respect to the work, that is, the size of the epicycloid described by the upper tool on the lower one (commonly the work), the respective rates of movement of the two members, and the pressures between them, were all varied according to such judgment as the operator possessed. The product varied great-

Scientific lighting makes sparkling indoor shots



How Solite Reflectors produce
daylight illumination

WITH Solite Reflectors flooding the scene every treasured indoor shot is preserved with true daylight sharpness. Solite's exclusive mirror lens doubles light output at no extra lighting cost. Solite's scientifically designed Reflector concentrates light—eliminates wastage.

A priceless aid to finer indoor movies and stills. Incidentally, a splendid Christmas gift for some photographic ally-inclined friend!

Solite Unit, \$7.50. With Jr. Tripod, \$11. Complete Kit (No. 3)—3 Solites; 2 Tripods; accessories; carrying case, \$42.50.

Another valuable Solite Accessory SOLITE CONCENTRATOR LENS

Diffuses light perfectly. Increases light 30% over concentrated area. Fits over any Solite Unit. \$4.50.

(Prices slightly higher west of Rockies)

Write for full details to

SOLITE SALES CO., Inc.

1373 Sixth Ave. New York

SOLITE UNIT REFLECTORS

Preferred by the Light-Wise
from Coast to Coast.

ly with the skill of the operator, and long experience was necessary to get good results. Much evil resulted from the inertia of the weights, which moved up and down as the attachment to the upper tool moved to and from the zenith of its vertical orbit.

During the War, in order especially that hundreds of thousands of binocular telescope objectives of the highest quality could be made by inexperienced girls, I reduced these variables by designing a machine whose geometry will be seen in Fig. 23. Here the lower member is a block of twelve lenses held by pitch to one metal holder "c," and this is slowly rotated on its vertical axis. The upper member "e," the polisher faced with a wax composition, has a central depression in which is seated the end of a crank-pin "a" carried on an inclined crank-shaft "b." The axes of this shaft and of the lens holder "c" intersect in the centre "d" of the sphere of lens surfaces, and thus the crank-pin at every point of its normal circular orbit would be at a constant distance from the lens surfaces without guidance by the polishing tool "e."

The crank arm "f" is carried by a pivot "g" and urged by a spring "h" so that the pressure between the polisher and work may be adapted to requirements. The lens holders for all sizes of sphere within the capacity of the machine are so constructed that the centres of curvature lie at the fixed point "d" where the two shaft axes intersect, and the crank-pin is adjustable by sliding in the crank arm to accommodate work of any curvature. Being set at an angle to the crank-shaft and in line with the point "d," the crank-pin, when so adjusted, automatically varies the size of its orbit in strict proportion to the radius of lens

curvature. At the same time the eccentricity of the orbit with respect to the work axis is varied automatically and precisely as it should be varied.

This machine entirely eliminated the inertia effects of previous machines, and it eliminated all the variables but one, the pressure between the tool and the work. But for this it provided a measure of value, being graduated with a scale of pressures by which the machine could be set.

It was this substitution of science for art which enabled England to produce during the War very large numbers indeed of lenses for prism binoculars of a kind which prior to the War she imported from an enemy country. The quality of these lenses was uniform and of the highest standard, and notwithstanding the increase in labor rates and expenses generally, the cost was below the pre-War cost. A complete machine comprising eight pairs of spindles is shown in Fig. 24.

The sixteen spindles are driven by helical gears and the two driving shafts are connected by a chain and sprockets with a hunting tooth so that the same phase of motion of work and tool recurs at sufficiently long intervals.

On this machine is seen another device which, though stimulated into being by the War, I had conceived a generation before. The operation of feeding rouge and water to the lens-polishing tool had been performed with a hand brush. If the film of water between the polisher and work exceeds in thickness the diameter of the grains of rouge, no polishing can occur. If the film dries the polisher heats and adheres to the lenses, and may tear them from the tool. Thus the operator has to exercise ceaseless care in watching his work and keeping it sufficiently moist, and the number

PAN-AMERICAN CINEMA STUDIOS

Now Producing 16mm Sound - on - Film Pictures

Single or Double System Recording
Sound Stage and Location Facilities
Dubbing Sound to Silent Subjects

All work done directly on 16mm Film

We also reduce 35 mm. Sound-On-Film subjects to 16mm. Sound-On-Film using the perfected P. C. S. electrical recording system.

We Welcome Inquiries From Responsible Parties

Further Particulars and Prices on Request

Pan-American Cinema Studios

142 Columbia Ave.

North Bergen, N. J.

"The Pioneer 16mm 'Sound-on-Film' Picture Producer"

P.
C.
S.

P.
C.
S.

of spindles he can attend is very limited. Also, the work is very messy.

The traction between polisher and work rises in value continuously as the polisher dries after being wetted. Obviously the traction is a function of the rate of polishing, and the object should be to maintain this as high as possible short of the danger point.

The rule must therefore be to apply the rouge and water continuously or frequently when, and only when, the traction is at a predetermined value short of the danger point. This cannot be done manually with certainty, but it is done by the device shown in Fig. 24. Here a supply of rouge and water is kept in circulation in a closed circuit of pipes and provided with pneumatically closed valves. One of each pair of machine spindles is mounted with slight lateral freedom so that it may be moved by the tractive effort between the polisher and work. Normally, by means of a spring whose strength may be varied, this motion is resisted and a vent in the pneumatic system is closed and the water supply thereby cut off. When, however, the traction rises to any value predetermined by the setting of the traction spring, the vent is opened and water and rouge are supplied to the polisher. Thus the whole process becomes automatic, the operator is relieved from much strain, his work is more cleanly, and he produces more and better work; and this is the normal result of applying to an art the science of mechanical engineering.

When the two surfaces of a lens have been polished and tested, the peripheral edge of the lens must be made cylindrical, of diameter to fit closely the cell in which it is to be mounted, and with the axis of the cylinder containing the two centres respectively of the two spherical surfaces of the lens.

The primitive way of doing this was to cement the lens by one face to a lathe chuck, to move the lens about on the chuck (before the cement set) until reflections from the two lens surfaces appeared stationary while the lathe rotated. The edge of the lens was then either ground by an emery-charged wet block of copper rigidly applied to the lens edge, or by turning it with a hand tool, commonly a "three-square scraper."

These primitive appliances have been replaced by those shown in Figs. 25 and 26, and with these it is the regular practice to grind any number of lens edges in succession within 0.0003 to 0.0005 inch on diameter according to need, and with the two centres of spherical curvature within 0.0002 inch of the axis of the cylindrical edge.

And here, when we reach the problem of mounting a number of separate glasses concentrically in one mounting and the subject of compensating, in each assembly, such small residual variations of

DUNNING GRAINLESS

—16mm Negative Developing—

Dunning Grainless is not a film; it is a developing formula, used by Dunning only, that gives you an absolutely grainless positive, never before possible in 16mm prints made from a contact negative. Buy your negative—such as Dupont Panchromatic or Supersensitive—from any dealer and send to Dunning for Grainless developing and printing.

• We make a specialty of reducing
35mm to 16mm.

DUNNING PROCESS COMPANY
932 NORTH LA BREA AVE. - - - HOLLYWOOD, CALIF.

A SURPRISING NUMBER OF PRIZE PICTURES

mentioned in the American Cinematographer's Prize Contests were Edited and Titled by Ralph R. Eno, who, since the inception of Home Movies, has ranked as the country's leading expert in this field. The special introductory offer listed below will afford you an opportunity to sample the coherent, story-telling quality which Eno's Editing imparts to your films.

Introductory Offer for Editing one reel only.....\$5.00

Send \$1.00 and copy for 2 Titles of 10 words or less. These are typically Eno in quality.

RALPH R. ENO

America's Pioneer (16mm.) Art Titrler and
Film Editor. Charter Member ACL
1425 BROADWAY - - NEW YORK

**ENO'S
FILM EDITING**

**ONE OF THE GREATEST TECHNICAL
BOOKS IN THE MOTION PICTURE INDUSTRY**


CINEMATOGRAPHIC ANNUAL Vol. 1

Now Only \$2.50 per copy

AMERICAN SOCIETY OF CINEMATOGRAPHERS
6331 Hollywood Blvd. - - - Hollywood, Calif.

16MM.

35MM.



**CUSTOM BUILT 16 MM
PROFESSIONAL CAMERA
WITH SOUND ON FILM**

- 1000 ft. magazines optional
- 400 ft. magazines, regular equipment
- 200 ft. magazines optional
- Veeder-Roof footage counter
- Mask slot, and reverse take-up
- One frame and 8 frame crank
- Goerz Variable view finder
- Focus-on-film, 10x magnification, upright image
- Four lens turret, standard lens mounts
- Variable shutter for fades and laps
- Side tension aperture
- Silent Cam movement

Special equipment designed and built

ERIC M. BERNDT

112 East 73rd Street
New York

SOUND

COLOR

GOERZ

XMAS GREETINGS

We hope that the cinematographer contemplating gift purchases for the Xmas holidays will avail himself of this invitation to send for our literature wherein he is certain to discover a number of items suited for presentation at this season. Kindly check item in which you are interested.

- Lenses
- Trix Objecto Meter
- Pan-Ortho Green Filters
- Yellow Filters
- Effect and Title Device
- Variable Field View Finder
- Reflex Focuser

**C. P. GOERZ AMERICAN
OPTICAL CO.**

317 East 34th Street New York

glass constants, lens thicknesses, and curvatures as inevitably occur, I must stop for lack of time.

*Trans. Optical Soc., 1922-3, vol. xxiv.

S.M.P.E. Elects Officers

• The Pacific Coast branch of the Society of Motion Picture Engineers elected new officers for the ensuing year at their November meeting.

Emery Huse, A.S.C., of Eastman Kodak Company, was reelected to chairmanship. Joseph Rackett was named secretary and treasurer. Rackett is with Technicolor Company. Joseph Dubray, A.S.C., of Bell & Howell Company, and W. C. Harcus were elected managers.

Moving Mapping Camera

(Continued from Page 312)

flight, the camera can be started at that point. The other alternative is to thread up a second magazine of film enroute, if necessary, circling around to insure preserving the sequence. In any case, one loading of the magazine will map the important part of the journey; that's what will count.

The films will be developed at the base camp, and when they are brought back 4 x 5 inch enlargements will be made from each frame. These will be set up in one of the standard aerial contour mapping machines and a regular contour map of the flight prepared. This work is likely to take a year or two after the expedition gets back.


Judging from the quality of the tests made by Captain A. W. Stevens and Mr. Magnus of the U. S. Army Air Corps (Figure 5), it is expected that the map will have all the detail that may be desired.

It is unnecessary to call attention to the value of such a map, but some idea of its importance can be gauged by the fact that no such aerial map of the Antarctic has been made previously. The results of this one are therefore awaited with great interest.

To supplement the special camera, special tripods, lenses and other accessories were taken by the expedition. These will be used for ordinary movie work both on the ground and in the air. Figure 1 shows the equipment set in the nose of a plane for mapping (of course, in flight, the cover would swing into place; only the lens would project through).


Notice how the camera is mounted in a U-shaped bracket. Ratchet locks are provided on the two end clamping screws so the camera tilt can be set with precision and locked there.

Figure 2 shows the camera with the lenses removed to show the special shutter mechanism plate mounted behind the turret. The camera is shown set for normal (movie) operation. When mapping



CRAIG JR. SPLICER \$350

- Now available for use with both 8 mm and 16 mm films.



CRAIG SPLICER \$10

- Now available in 16 mm size for use with either silent or sound on film films

CRAIG MOVIE SUPPLY Co.

1031 South Broadway
LOS ANGELES, CALIFORNIA
Represented by Ampro in the East

SOUND-ON-DISC-LIBRARY

A number of interesting features include "Her Man," "Sophomore," "The Iron Man," "Grand Parade," "Flying Fool" and others. Also 100 2-reel comedies and 350 single reels. Send 25c for complete catalog. Money refunded on receipt of first order.

J. NAVILIO

Broadway & Chauncey St., Brooklyn, N. Y.



**K
I
N-
O-
LUX**

Even if he is inclined to look a gift horse in the mouth, the movie maker, who, at all times, appreciates the practical present of a roll of film, will readily enjoy the fine merits of Kin-O-Lux. To the giver there is the factor of its inexpensiveness. No. 1, for bright sunlight, in green box, 100 ft. roll, \$3.00. No. 2, a faster film, in red box, 100 ft roll, \$3.50. Prices include Processing, Scratch-proofing and return postage.

KIN-O-LUX, Inc. 105 W. 40 St.
New York

American Cinematographer Now \$2.50
a Year

is to be done, the set screw at "normal" is loosened and moved around to the "intermittent" setting and locked. This engages the auxiliary shutter mechanism.

The motor is geared to expose one frame every six seconds. When the main shutter is in the open position, the auxiliary shutter is tripped giving an exposure of 1/100 second.

Figure 5 shows the type of results obtained. Careful examination will show the amount of overlap in each frame. This illustration also gives a very clear idea of the effectiveness of this type of "map" over towns and countryside. How much more valuable over the unknown Antarctic terrain.

The mapping EYEMO opens up great possibilities for aerial reconnaissance work of all kinds: Pipe and power line surveys; oil, mining and geological investigations; a cheap mapping method for large areas; timber surveys, etc.

Once again the versatile movie film opens up a new field.

Miniature Development

(Continued from Page 313)

Should you possess an Ellison or Q.R.S. camera or a 35mm motion picture camera, you can easily and quickly make enough gamma to last you for a long time.

Having completed our supply of gamma, we are ready to systematize our developing. Cut three strips of the undeveloped gamma about four inches long. Start developing these pieces, using the developer and following the procedure that has proved most satisfactory to you up to the present time. Remove these strips from the tank at the following times: one a few minutes before your average developing time, one at the average time, and the remaining strip several minutes later. These strips we will call our guide-gamma strips. They are to be saved for future comparison with other gamma strips. These guides will probably look like the one illustrated in this article, which were developed 7 1/2, 15 and 22 minutes, respectively. The center one is my normal gamma. Below each one I have drawn an imaginary cross-section of the gamma, showing the increase in contrast in proportion to the developing time.

The next time you develop a roll of miniature negatives, follow this simple procedure: Place in the tank with the roll of film two small pieces of the undeveloped gamma. After the time has elapsed, that you developed Guide No. 1, remove one piece and place in the hypo. (In the dark of course.) Compare this piece with Guide No. 1. If it matches, continue developing until you reach your normal time (Guide No. 2). Comparison of the two gammas will indicate the speed of the developer, and it is a sim-




A Lens For Every Purpose

1. ELMAR 35mm f:3.5 wide angle lens.
2. ELMAR 50mm f:3.5 standard for "all-round" use.
3. HEKTOR 50mm f:2.5 high speed lens.
4. SUMMAR 50mm f:2 new speed lens with extraordinarily flat field and needle-sharpness, in collapsible mount.
5. SUMMAR 50mm f:2 in non-collapsible mount.
6. HEKTOR 73mm f:1.9 fastest lens of the series, most useful for portrait and aerial photography.
7. HEKTOR 73mm f:1.9 adapted for use with natural color filters.
8. ELMAR 90mm f:4 medium telephoto lens.
9. ELMAR 105mm f:6.3 lightweight telephoto lens for travelers.
10. ELMAR 135mm f:4.5 for maximum long range photography.
11. HEKTOR 135mm f:4.5 the ultimate in telephoto lens combined with astonishing color correction and flatness of field.

LEICA fits the pocket, operates as quickly and simply as the humblest amateur camera, yet combines in itself the fine precision and range of performance of a dozen big cameras. What makes this great versatility possible? First, the interchangeable lenses feature. Second, over 300 LEICA accessories which adapt the LEICA Camera to any kind of photographic work. Third, LEICA's focal plane shutter, with speeds of 1 to 1-500th seconds, the greatest range of speeds on any camera.

Sharp, perfectly focused pictures insured by LEICA'S Built-In Focusing Range Finder with magnified image, which eliminates guesswork. LEICA uses cinema film 1x1 1/2 in. negative area. Perfect enlargements up to 12x18 inches and more! New edition of illustrated booklet "Why LEICA?" sent free on request, also free new booklet No. 1220 describing 11 LEICA lenses and their use, in simple popular language for the amateur; illustrated.



E. LEITZ, Inc., Dept. 413

60 EAST 10th STREET - - - - - NEW YORK
Western Coast Representative: Spindler & Sappie, Inc.
San Francisco and Los Angeles, Calif.

MORGAN

CAMERA SHOP
Hollywood's LEICA Specialists
Fine Grain Finishing and Enlarging
Photo Supplies
6305 Sunset Blvd. Hollywood

ple thing to determine whether you should stop developing a few minutes before your normal time or vice versa. The piece of gamma that remained with the roll of film will be a record of how far the roll was developed and the present condition of the developer.

It is a good plan to save these records, for by them it is possible to keep your developing uniform. The roll that you develop next month will receive the same development as the present one. To me these records are a check on con-

trast and exposure. I know definitely whether my trouble lies in my exposure or my developing. If it is the developing, I can raise or lower the standard of contrast, by raising or lowering the con-

UNIVERSAL MODEL "E" CONDENSER TYPE MICROPHONE



Incomparable quality at a sensationally low price. 90° Swivel head with Automatic Barometric Adjustment—2 Stage Amplifier—Non-Microphonic Tubes—Solid Bar Grating Diaphragm Protection—Also Complete, Ultra-Modern Line of Microphones, Stands, Transformers, etc. Ahead-of-the-Times products designed to meet Tomorrow's Needs at Today's Rock-Bottom Prices.

Complete Catalog with Diagrams on Request.

Universal Microphone Co., Ltd.

424 Warren Lane Inglewood, Cal., U.S.A.

WE WANT 35mm. travel, fight, thrill and curiosity films from all parts of the earth.

We sell all kinds of raw film at reduced prices.

Continental Filmcraft, Inc.
1611 Cosmo St., Hollywood, Calif.

Scheibe's FILTERS
SINCE 1914
IN WORLD-WIDE USE.....
produce Powerful and Real Effects in Light-
ing Scenes—highlighting and many other effects
WITH ANY CAMERA — IN ANY CLIMATE
GEORGE H. SCHEIBE
ORIGINATOR OF EFFECT FILTERS
1927-W-7635 ST. LOS ANGELES CAL.

American Cinematographer Now \$2.50
a Year

trasts and developing times of my guide-gammas.

As you use this guide for developing, its many advantages will soon become apparent. You will understand why the laboratories in Hollywood constantly check their developer by means of sensitometric strips. By them the characteristics and condition of the developer are always known. They are detectors for showing when the presence of Sodium Bromide and other developing by-products are affecting the developer's speed and robbing the negative of shadow detail. They indicate when fresh developer is needed.

With these gamma-strips new roads of developing are open to you. You may try the new fine grain developers without risking any of your valuable picture negative. A strip of gamma will reveal the developing time, the contrast, the effect of agitation, the amount of grain, etc., of the new developer. The gammas resulting from these different formulas can be contrasted and compared and then the best formula for your purpose can be chosen.

Try this aid and see if it doesn't help you.

Pearson With DeVry

• Elmer Pearson, former Vice President and General Manager of Pathe Exchange, Inc., has become the new General Manager of Herman A. DeVry, Inc., the

HARRISON

Special
Effect

Light
Color
FILTERS

Preferred by the leading Hollywood Cinematographers. Used by Leading cameramen the world over.

The Harrison Viewing Glass Gives True Interpretation of photographic values of all colors.

Harrison & Harrison

645 North Martel Avenue
Hollywood, Calif.
Phone WYoming 4501

ROY DAVIDGE FILM LABORATORIES

Negative Developing
and Daily Print
Exclusively

6701 SANTA MONICA BLVD.
GRanite 3108

well known manufacturer of portable sound projectors and cameras.

Mr. Pearson's first campaign will be the launching of the new DeVry Straight Feed Portable Sound Projector, the DeVry Double and Single Recording Camera, and the coming DeVry 16mm Sound unit.

30% to 60% Cash Savings

on 16 mm. and 35 mm. cameras, projectors and accessories. Write for Bass Bargaingram. Specify size of apparatus interested in. For over 22 years Value Leaders of the nation. Your copy is ready. Write for it.

BASS CAMERA COMPANY
179 W. Madison St., Chicago, Ill.

HARRISON LIGHT FILTERS

Distributed by
CAMERA SUPPLY CO.
1515 Cahuenga Blvd. Phone GL-2404
Hollywood, Calif.



Model B Professional \$300.00
For Bell & Howell and Mitchell Cameras and their respective Tripod. With the ORIGINAL instant release telescopic handle.

FRED HOEFNER

GLadstone 0243


5319 Santa Monica Boulevard
LOS ANGELES, CALIF.

TRUEBALL TRIPOD HEADS OF SPECIAL ALLOY LIGHTER WEIGHT

The Same Efficient Head

For follow shots, known for their smoothness of operation and equal tension on all movements.

Unaffected by temperature.



Model A for Amateur motion picture cameras. Attaches to any standard STILL tripod, \$12.00.

Trueball tripod heads are unexcelled for simplicity, accuracy and speed of operation.

The Hoefner four-inch Iris and Sunshade combination is also a superior product.

Photography Radiations

(Continued from Page 311)

series of photographs of distant scenery. These are taken on Ilford infra-red plates with infra-red filter, using a Taylor-Hobson apochromatic process lens. The "color curve" of such a lens is shown in Fig. 1, where the aberration is greatly exaggerated. The marks show the points obtained by calculation, the two end points, surrounded by squares, being in the invisible regions, were found from refractive indices given by the Hartmann formula; the other refractive indices were given by the glass-maker. The circles show the positions found by measurement on the actual lens, using a monochromator. They are seen to agree very closely with the predicted positions. The series of lines shows the "best focus" positions found by photographing through filters having transmission through a range of wave lengths given by the lengths of the lines (the blue and green filters overlap). It is seen that these positions also agree reasonably well with the predicted curve, except in the case of the infra-red which shows less aberration than would be expected. The explanation is to be found in the change of spherical aberration with wave length which produces a change in the position of "best focus."

Fig. 3 shows the spherical aberration for the two wave lengths 5893A. (sodium D) and 8000A. (infra-red). It will be seen that when the spherical aberration is "corrected" for D, it is "under-corrected" for the infra-red, causing the position of best focus to be shorter than it would otherwise be. It may be added that the converse happens at the blue end of the spectrum, the spherical aberration being "over-corrected" for that region.

On the whole the experimental results are seen to be in agreement with the predicted values, and with the data at his disposal the optician is able to proceed to adjust the corrections of his lens for the infra-red region without further difficulty.

Good With Coogan

• Frank Good, A.S.C., who photographed all of the Jackie Coogan productions when Jackie was the youthful idol of the motion picture screen, has been contracted by I. A. Allen, producer of the new series of Coogan subjects, to again direct the photography on these pictures.

Good's intimate understanding of the photographic requirements of Coogan has dictated this arrangement by Allen to assure the technical success of these pictures.

American Cinematographer Now \$2.50
a Year



SIX MONTHS OF ACTUAL STUDIO USE HAS PROVED

"ARTREEVES" AUTOMATIC SPEED CONTROL MOTOR

One of the Most Important Contributions to
Successful Sound during the year

DEPENDABLE EQUIPMENT

Write for Catalog, Prices and Particulars

Hollywood
MOTION PICTURE EQUIPMENT CO. LTD.
645 NORTH MARTEL AVE. CABLE ADDRESS ARTREEVES
HOLLYWOOD, CALIFORNIA, U.S.A.

Phone WYoming 4501

AMERICAN CINEMATOGRAPHER

\$2.50 a Year

In foreign countries \$1.00 extra

It's the world's leading Motion Picture Camera
Magazine for both professional and amateur.

AMERICAN CINEMATOGRAPHER

6331 Hollywood Boulevard

Hollywood, California



New Weston Universal EXPOSURE METER

\$27.50

Expert Demonstrations

Faxon Dean

Ask for Names of Studio Users

Camera Rentals—Special Delivery Day or Night

CAMERA SUPPLY COMPANY

1515 CAHUENGA BLVD., HOLLYWOOD, CALIF.

Phone GL-2404

Cable Address "Cameras"

NIGHT PHONES

Faxon Dean, North Hollywood 1271

Ruddy Geraus, GLadstone 6583

DIRECTORY of DEALERS

Handling the American Cinematographer

ARIZONA

Phoenix: Studio of Sound, P. O. Box 1671.
Tucson: William M. Dennis, 22 United Bank Bldg.
Nogales: A. W. Lohn, 309 Morley Ave.

ARKANSAS

Judsonia: Lee's Novelty House.

CALIFORNIA

Berkeley: Berkeley Commercial Photo Co., 2515 Bancroft Way.
Hinks: Kamrkorn, Shattuck and Kittredge.
Beverly Hills: Bob Robinson Home Movies, 364 N. Beverly Drive.
W. L. Martindale, Pacific Mag. Agency, 9495 Santa Monica Blvd.
Beverly Hills Home Movies, 417 N. Beverly Drive.
Fresno: Potter Drug Co., 1112 Fulton Ave.
Glendale: Kug Art Photo Service, 205 So. Brand Blvd.
A. L. Kirkhuff, 148 S. Brand Blvd.
Hollywood: Bell & Howell Co., 716 North La Brea Ave.
Camera Supply Co., 1575 Cahuenga Blvd.
Educational Projecto Film Co., 1611 North Cahuenga Blvd.
Hollywood Camera Exchange, Ltd., 1600 N. Cahuenga Blvd.
Hollywood Citizen, 6366 Hollywood Blvd.
Hollywood Movie Supply Co., 6038 Sunset Blvd.
J. V. Merchant, 6331 Hollywood Blvd.
Morgan Camera Shop, 6305 Sunset Blvd.
Universal News Agency, 1655 Las Palmas.
Los Angeles: California Camera Hospital, 321 O. T. Johnson Blvd.
Eastman Kodak Stores, Inc., 643 So. Hill Street.
T. Iwata Art Store, 256 East First St.
Lehnkering Pharmacy, 1501 N. Western Ave.
B. B. Nichols, 731 South Hope St.
Tappenbeck & Culver, 10958 Weyburn Ave., Westwood Village.
Victor Animatograph Corp., 650 So. Grand Ave.
Wilshire Personal Movies, 3150 Wilshire Blvd.
Monrovia: Cliff's Photo Art Shop.
North Hollywood: Studio City Pharmacy, 12051 Ventura Blvd.
Oakland: Adams & Co., 380 14th St.
Eastman Kodak Stores, Inc., 1918 Broadway.
Pasadena: The Flag Studio, 59 East Colorado St.
Richard Fromme, 965 S. Fair Oaks.
A. C. Vroman, 329 East Colorado St.
Richmond: La Moine Drug Co., 900 Macdonald St.
Sacramento: Frank McDougall, 1017 10th St.
San Bernardino: Steele's Photo Service, 370 D Street.
San Diego: Harold E. Lutes, 958 Fifth St.
Ace Drug Co., 820 W. Washington St.
Eastman Kodak Stores, Inc., 419 Broadway.
Rogers Photo Shop, 3867 43d St.
San Francisco: Eastman Kodak Stores, Inc., 216 Post St.
Hirsch & Kaye, 239 Grant Ave.
San Francisco Camera Exchange, 88 Third St.
Schwabacher-Frey Stationery Co., 735 Market St.
Sherman, Clay & Co., Kearny & Sutter Sts.
Trainer-Parsons Optical Co., 228 Post Street.
San Jose: Webb's Photo Supply Store, 66 So. First St.
San Rafael: Webb & Rogers, 4th & B Sts.
Santa Barbara: J. Walter Collinge, 1127 State St.
The Camera Shop, 800 State St.
Faulding's, 623 State St.
Santa Monica: W. W. Martindale, 1319 3d St.
Storrs: The Holden Drug Co., Weber Ave. & Sutter St.
Logan Studios, 20 N. San Joaquin St.

COLORADO

Denver: Eastman Kodak Stores, Inc., 626 Sixteenth St.
The May Co., 16th & Champa Sts.

CONNECTICUT

Bridgeport: Harvey & Lewis Co., 1148 Main St.
Danbury: Heim's Music Store, Inc., 221 Main St.
Hartford: The D. G. Stoughton Co., 1255 S. Whitney St.
Watkins Bros., 241 Asylum St.
Meriden: Broderick & Curtin, 42 E. Main St.
Middletown: F. B. Fountain Co., 483 Main St.
New Haven: Eugene F. Clark Book Shop, 343 Elm St.
Norwich: Cranston Co., 25 Broadway.
Waterbury: Curtis Art Co., 65 W. Main St.

DELAWARE

New Castle: E. Challenger & Son.
Wilmington: Butler's, Inc., 415 Market St.
Wilmington Elec. Spec. Co., Inc., 405 Delaware Ave.

DISTRICT OF COLUMBIA

Washington: Columbia Photo Supply Co., Inc., 1424 New York Ave., N. W.
Eastman Kodak Stores, Inc., 607 14th St., N. W.
Robbins, National Press Bldg., 529 14th St., N. W.

FLORIDA

Clearwater: Courtesy Cigar Store, Post Office Arcade.
Daytona Beach: Harry's News Shop, 106 N. Beach St.
Jacksonville: Eastman Kodak Stores, Inc., 129 W. Adams St.
Miami: Miami Photo Supply Co., 31 S. E. First Ave.
St. Petersburg: Robinson's Camera Shop, 410 Central Ave.
Tampa: Burger Bros., Inc., 608 Madison St.

GEORGIA

Atlanta: Eastman Kodak Stores, Inc., 183 Peachtree St.

IDAHOO

Boise: Ballou-Latimer Co., 9th & Idaho.

ILLINOIS

Bloomington: Hawkins Studio, 214 W. Washington.
Chicago: Almer, Coe & Co., 105 N. Wabash Ave.
Associated Film Libraries, Inc., Suite 224, 190 N. State St.
Bass Camera Co., 179 West Madison St.
Central Camera Co., 230 S. Wabash Ave.
Eastman Kodak Stores, Inc., 133 N. Wabash Ave.
Fair: The Camera Dept., 7th Floor, State-Adams-Debarb Sts.
Lake Shore Radio Co., 3204-6 Broadway.
Lyon & Healy, Inc., Wabash Ave. at Jackson Blvd.
Stanley Warren Co., 918 Irving Park Blvd.
Norman Willets Co., 318 W. Washington St.
Vernon Camera Co., 201 S. Dearborn St.
Evanston: Almer, Coe & Co., 1645 Orrington Ave.
Hattstrom & Sanders, Inc., 702 Church St.
Galesburg: Illinois Camera Shop, 84 So. Prairie St.
Moline: Seaholms Kodak Co., 1507 Fifth Ave.
Rockford: Johnson Photo Shop, 316 E. State St.
Springfield: Camera Shop, The, 320 S. Fifth St.

INDIANA

Evansville: Smith & Butterfield, 310 Main St.
Fort Wayne: The Howard Co., Inc., 112 W. Wayne St.
Sunny Schick, 401 W. Washington Blvd.
Indianapolis: L. S. Ayers & Co., Dept. 290, 100 West Washington St.
South Bend: Ault Camera Shop, 122 S. Main St.
Terre Haute: Snyder's Art Store, 21 S. 7th St.
IOWA
Cedar Rapids: Camera Shop, 220 Third Ave.
Davenport: Eastman Kodak Stores, Inc., 318 Brady St.
Des Moines: Eastman Kodak Stores, Inc., 808 Locust St.

Iowa City: Rexall & Kodak Store, 124 E. College St.
Sioux City: Lynn's Photo Finishing, Inc., 419 Pierce St.
Eastman Kodak Stores, Inc., 608 Pierce St.
Waterloo: Mack's Photo Shop.

KANSAS

Topeka: Hall Stationery Co., 623 Kansas Ave.
Wichita: Jack Lewis Film Service, 329 Sedgwick Building.
Lawrence Photo Supply, 149 N. Lawrence Ave.

KENTUCKY

Lexington: W. W. Still, 129 W. Short St.
Louisville: A. L. Bollinger Drug Co., Stitz & Frankfort Ave.
Sulcliffe Co., 225 S. 4th Ave.

LOUISIANA

Alexandria: The Newcomb Studios, 324 Johnstone.
Monroe: Griffin Studios, P. O. Box 681.
New Orleans: Eastman Kodak Stores, Inc., 213 Baronne St.

MAINE

Auburn: Wells Sporting Goods Co., 52-54 Court St.
Portland: Bicknell Photo Service, 43 Exchange St.

MARYLAND

Baltimore: Eastman Kodak Stores, Inc., 309 N. Charles St.
Stark-Films, 219 W. Centre St.
Zepp Photo Supply Co., 3044 Greenmount Ave.
Hagerstown: R. M. Hays & Bros., 2830 W. Washington St.

MASSACHUSETTS

Boston: Eastman Kodak Stores, Inc., 38 Bromfield St.
Boston Camera Exchange, 44 Bromfield St.
Cinecraft Co., of New England, 80 Boylston St.
Ralph Harris Co., 30 Bromfield St.
Iver Johnson Sporting Goods Co., 155 Washington St.
Andrew J. Lloyd Co., 300 Washington St.
Pathoscope Co. of the N. E., Inc., 438 Stuart St.
Pinkham & Smith Co., 15 Bromfield St.
Stillfilm Sales Co., 40 Stuart St.
Bainbridge: Alves Photo Shop, 349 Washington St.
Cambridge: E. M. F. Electrical Supply Co., 430 Massachusetts Ave.
Lowell: Donaldson's, 75 Merrimack St.
Lynn: Moshing's, Inc., 490 Washington St.
New Bedford: J. Arnold Wright, 7 S. Sixth St.
Newtonville: Newton Photo Shop, 92 Bowser St.
Pittsfield: E. C. Killian, 411 North St.
Salem: Pitman Movie Service, 45 Summit Ave.
Springfield: Harvey & Lewis Co., 1503 Main St.
J. E. Cheney & Co., Inc., 301 Bridge St.
Worcester: Harvey & Lewis Co., 513 Main St.

MICHIGAN

Detroit: Crowley, Milner & Co.
Clark Cine-Service, Rooms 203-204 Professional Bldg., 10 Peterboro.
Detroit Camera Shop, 424 Grand River W.
Eastman Kodak Stores, Inc., 1235 Washington Blvd.
H. G. Film Service, 12191 Ilene Ave.
J. L. Hudson Co., Dept. 290.
E. B. Meyrowitz, Inc., 1516 Washington Blvd.
Flint: Gardner Photo Service.
Grand Rapids: Camera Shop Stores, Inc., 56 Monroe Ave.
Photo Service Shop, 44 Monroe Ave.
Jackson: Royal Film Service, 125 Michigan Ave. W.

(Continued on Page 340)

Recent Patents Pertaining to Motion Pictures

Compiled by
Patent & Technical Information Service
1336 New York Avenue N. W.
Washington, D. C.

October 10, 1933

1,929,626. Soundproofing Picture Recording Camera. Lee de Forest, New York, N. Y., assignor to De Forest Phonofilm Corporation, New York, N. Y. In an apparatus of the type described, the combination comprising a support, a photographic recording camera mounted on said support, and a container having a transparent window portion therein in alignment with the light aperture of said camera, said container enclosing said camera in air-tight fashion and adapted to be exhausted of air.

1,929,685. Reflector System for Stereo-Cinematograph Cameras. Edmund Feil, Berlin, Germany. A reflector system for stereo-cinematograph cameras, comprising a single objective, reflective units with reflectors arranged in groups at both sides of the optical axis of said objective, each group being capable of displacing rays parallelly onto said objective and means for moving said units in continuous curves while maintaining the reflectors parallel to their initial position, to alternately bring each group to the exclusion of the other into position, so that the reflected light is incident on the objective.

October 17, 1933

1,930,498. Optical System for Motion Picture Photography. Walter L. Wright, Santa Monica, Calif., assignor to Synchrome Corporation, Los Angeles County, Calif. An optical system for making simultaneously a plurality of like chromatically different pictures of a single subject on separate areas of a film, including a single lens, light dividing means between the lens and subject receiving a shaft of light from the subject and dividing it into a plurality of like shafts, and filtering means in the shafts of light from the dividing means making the shafts chromatically different, the filtering means including filters of different colors in the shafts of light between the lens and light dividing means and filters in the shafts of light close to the film, the two filters in each shaft of light corresponding in color.

1,930,913. Film Editing Machine. Roy V. Terry, Montclair, N. J., assignor to Bell Telephone Laboratories, Incorporated, New York, N. Y. In a film editing machine, a sound record editing unit, a film viewing unit having a picture film viewing lens, a common driving means for both units arranged to maintain a synchronous relation between film sound records and film picture records, mem-

FOX Velocilator CAMERA DOLLY

is now manufactured and sold by

FEARLESS CAMERA CO.

EXCLUSIVELY


By License agreement with Fox Film Corp.

This new Dolly, of the cantilever type, is available as a unit or in combination with the Fearless Educational Camera Blimp—Hand or Electric Motor Powered—Light in Weight—Fast in Operation—Wide Range of Elevations—Nominal in Cost.

FEARLESS CAMERA CO.

8572 Santa Monica Blvd., Hollywood


Cable: Fearcamco



EVERYTHING PHOTOGRAPHIC
for Professional and Amateur

New and used. Bought, sold, rented
and repaired. Camera Silencing.
Send for Bargain Catalogue

Hollywood Camera Exchange
1600 Culver St., Hollywood
Tel: HO-3651
Cable Address: HOcamex
Open Daily to 6 P. M.
Saturday to 10 P. M.



CINEMATOGRAPHIC ANNUAL VOLUME 1

One of the Greatest Technical Books
in the Motion Picture Industry

There are 675 pages of technical information such as can be found in no other single volume. In addition there is a 48 page pictorial section.

Only \$2.50 per Copy

American Society of Cinematographers, Inc.,
1222 Guaranty Bldg., Hollywood, California.
Gentlemen:

Enclosed please find check for \$2.50 for which please ship, postage paid,
one copy of The Cinematographic Annual to

(Continued from Page 338)

Lansing: Linn Camera Shop, 109 S. Washington Ave.
Saginaw: Heavenrich Bros. & Co., 301 Genesee.

MINNESOTA

Duluth: Eastman Kodak Stores, Inc., 3 W. Superior St.
LeRoy: Ivan E. Meyers, Home Movie Service, 15 W. Main St.
Minnipolis: Eastman Kodak Stores, 112-116 So. Fifth St.
Gospeter's Blue Front, 1006 Nicollet Ave.
National Camera Exchange, 5 South Fifth St.
Owatonna: B. W. Johnson Gift Shop, 130 W. Bridge St.
St. Paul: Eastman Kodak Stores, Inc., Kodak Bldg., 91 E. Sixth St.
H. W. Fisher Photographic Supplies, 381 Minnesota St.

MISSOURI

Kansas City: Eastman Kodak Stores, Inc., 916 Grand Ave.
F. O. Calvin Co., B. M. A. Building, Union Station Plaza.
Eastman Kodak Stores, Inc., 19 E. 11th St.
Hanley's Photo Shop, 116 E. 12th St.
St. Louis: Eastman Kodak Stores, Inc., 1009 Olive St.
Famous-Barr Co., M. P., Dept. 6th & Olive St.
Geo. D. Fisher & Co., 915 Locust St.

MONTANA

Billings: Midland Drug Co., 23 N. 27th St.
Bozeman: Alexander Art Co.

NEBRASKA

Lincoln: Eastman Kodak Stores, Inc., 1217 O St.
Eastman Kodak Stores, Inc., 419 S. 16th St.
Omaha: J. G. Kretschmer & Co., 1617 Harney St.

NEW HAMPSHIRE

Lebanon: Photocraft Co.
Newport: K. E. Waldron, 1 A Main St.

NEW JERSEY

Atlantic City: Eastman Kodak Stores, Inc., 35 Broadway.
Bayonne: Milton Mendelwager, 192 Ave. B.
Cliffside Park: Louis C. Ghioy, 639 Anderson Ave.
East Orange: Edmund J. Farlie Jr., 45 N. 19th St.
Hawthorne: Hawthorne Home Movie Service.
Irvington: Wolf Bros., 1340 Springfield Ave.
Jersey City: Levy's Sport Shop, 149 Monticello Ave.
Montclair: Edward Madison Co., 42 Bloomfield Ave.
Newark: Anspach Bros., 838 Broad St.
Paterson: Robt. C. Smith, 40 Hamilton St.
Sykes Drug Store, 79 Market St.
Summit: Eastman Bookshop, 380 Springfield Ave.
Trenton: Howard E. Thompson, 35 Newkirk Ave.
Union City: Heraco Exchange, Inc., 611 Bergenline Ave.
West New York: Rembrandt Studios, Inc., 526A Bergenline Ave.

NEW MEXICO

Santa Fe: Capital Pharmacy, Inc.

NEW YORK

Albany: Albany Photo Supply Co., Inc., 204 Washington Ave.
Binghamton: A. S. Bump Co., Inc., 180 Washington St.
Brooklyn: Geo. J. McCadden, Inc., 202 Flatbush Ave.
Abraham & Straus, Inc., Fulton & Hoyt Sts.
Buffalo: Buffalo Photo Material Co., 37 Niagara St.
Hauser Bro Studio, 11 West Tupper St.
F. Adams, Inc., 459 Washington St.
Nowak Optical Co.
United Projector & Film Corp., 228 Franklin St.
Goshen: T. H. Finan.
Haverstraw: E. H. Vandenburgh, 3 Broadway.
Impeccable: Agnew's, 47 Main St.
Islip: H. L. Terry & Sons.
Ithaca: Henry R. Lead, 109 N. Aurora St.
Long Island City: Leonard F. Kleinfield, 4202 Queen's Blvd.
New Rochelle: Artist's Photo Service, 219 Huguenot St.

New York City: Wm. C. Cullen, 12 Maiden Lane.
Adarch Archival Corp., 305 W. 56th St.
Ambercrombie & Fitch, 45th & Madison Ave.
Bloomingdale's 59th & Lexington Ave.
H. H. Booser, 145 E. 60th St.
Columbus Photo Supply Co., 146 Columbus Ave.
Abe Cohen's Exchange, 120 Fulton St.
Davega, Inc., 111 East 42nd St.
Davega, Inc., Empire State Building.
Eastman Kodak Stores, Inc., 356 Madison Ave.
Fotoshop, Inc., 136 W. 32nd St.
H. & D. Folsom Arms Co., 314 Broadway.
Gillette & Lemke, Inc., 7 East 48th St.
Gillette Camera Stores, Inc., 117 Park Ave.
Gimbel Bros., Dept. 575, 33rd St. & Broadway.
Joseph P. Hackel, 1919 Chanin Bldg., 122 E. 42nd St.
Harry's Camera Exchange, 317 W. 50th St.
Hecker's Camera Store, 1519 Amsterdam Ave.
Herbert & Huesgen Co., 18 E. 42nd St.
Lugene, Inc., 600 Madison Ave., between 5th & 6th Sts.
Luma Camera Service, Inc., 302 W. 34th St.
Mogull Bros. Electric Corp., 1944 Boston Road.
Newman's Camera Shop, 1197 Sixth Ave.
New York Camera Exchange, 109 Fulton St.
Pago, Inc., 1095 Sixth Ave.
Pickup & Brown, 368 Lexington Ave.
Rab Sons, 1373 Sixth Ave.
Schoenig & Co., Inc., 8 East 42nd St.
Sibley, Lindsay & Curr Co.
Frank Tanham & Co., Inc., 9 Church St.
Times Building News Stand, Inc., Times Building.
Willoughby's, 110-112-114 West 32nd St.
Richmond Hill: Josephson Bros., 10902 Jamaica Ave.
Rochester: Marks & Fuller, Inc., 36 East Ave.
Smith, Surrey, Inc., 129 Clinton Ave., South.
Rome: Fitchard Studio, 133-135 W. Liberty St.
Schectady: J. T. & D. B. Lyon, 236 State St.
Syracuse: Geo. F. Lindemer, 443 S. Salina St.
Francis Hendricks Co., Inc., 339 So. Warren St.
Troy: A. M. Knowlson & Co., 350 Broadway St.
Utica: Edwin A. Hahn, 225-225 Columbia St.
Yonkers: W. J. Dolega, 242 Nepperham Ave.

NORTH CAROLINA

Charlotte: W. I. Van Ness & Co., 213 N. Tryon St.

OHIO

Akron: Pochrandt Photo Supply Co., 16 N. Howard St.
Zissen's News Exchange, 63 S. Main St.
Stamton: T. J. Hulsey.
Canton: Ralph Young News Agency.
The Camera Shop, 531 Market Ave. N.
Cincinnati: Eastman Kodak Stores, Inc., 27 North St.
Huber Art Co., 124 Seventh St. W.
John L. Huber Camera Shop, 416½ Main St.
L. M. Prince Co., 108 W. Fourth St.
Cleveland: The Home Movies, Inc., 2025 Euclid Ave.
Dodd Co., 652 Huron Road.
Eastman Kodak Stores, Inc., 806 Huron Road, 1862 E. 6th St., 1915 E. 9th St.
Union Trust Bldg.
Escar Motion Picture Service, Inc., 10008 Carnegie Ave.
Halle Bros. Co., 1228 Euclid Ave.
Higbee Co., 90 Public Square.
Columbus: Capitol Camera Co., 7 E. Gay St.
Columbus Photo Supply, 62 E. Gay St.
Home Movies Co., 234 S. High St.
Don McAllister Camera Co., 72 State St.
Dayton: Dayton Camera Shop, 1 Third St., Arcade.
Middletown: Lee R. Chamberlain, care Roy A. White's Elec. Shop, 48 S. Broad St.
Portsmouth: V. E. Fowler, 824 Galia St.
Salem: Butcher's Studio, 166 South Broadway.
Streuverville: Beall & Steele Drug Co., 424 Market St.
Toledo: Gross Photo Supply Co., 325 Superior St.
Franklin Print & Eng. Co., 226-36 Huron St.
Youngstown: Eastman Kodak Stores, Inc., 7 Wick Ave.
A. C. Saunders, 177 Benita Ave.
Zanesville: Zuland's Drug Store, Widney, care Seventh & Main.

OKLAHOMA

Oklahoma City: H. O. Davis, 522 N. Broadway.
Tulsa: Camera Shop, Inc., and the Charles High Productions, 1213 S. Boulder Ave.

OREGON

Lakeview: Getty's Photo Studio, I.O.O.F. Bldg., Center & Main Sts.

Marshallfield: Mel's News Stand, cor. Broadway & Anderson.
Pendleton: J. T. Snelson, 608 Gardner St.
Portland: Eastman Kodak Stores, Inc., 345 Washington St.
Lupman-Wolfe & Co., Kodak Dept., Fifth, Washington & Adler Sts.
Meier & Frank Co., Kodak Dept., Fifth, Sixth, Morrison & Alder Sts.

PENNSYLVANIA

Allentown: M. S. Young & Co., 736-40 Hamilton St.
Easton: Easton Sporting Goods Co., 2nd and Northampton St.
Erie: Kelly Studios, 1026-28 Peach St.
Harrisburg: James Left Co., 225 N. 2nd St.
Johnstown: Johnstown News Co., 115 Market St.
Lancaster: Pugh's Art Shoppe, 33 W. King St.
Langhorne: National Entertainment Service, 360 Bellevue Ave.
Lebanon: Harpel's, 757-9 Cumberland St.
Philadelphia: Klein & Goodman, 18 South 10th St.
Camera Shop, 51 N. 52nd St.
C. P. Darrow Co., Inc., 5623-5 Germantown St.
Eastman Kodak Stores, Inc., 1020 Chestnut St.
Home Movies Studios, 20th & Chestnut Sts.
MacCallum Studios, 2600 Sansom St.
M. & H. Sporting Goods Co., 512 Market St.
Newsreel Laboratory, 1707 Sansom St.
Strawbridge & Clothier, Dept. 201, Market, Eighth & Filbert Sts.
George W. Tegan, 420 E. Mt. Airy Ave.
John Wanamaker's Motion Picture Dept., No. 1 Broad St.
Williams, Brown & Earle, Inc., 918 Chestnut St.
Pittsburgh: Eastman Kodak Stores, Inc., 606 Wood St.
B. K. Elliott & Co., 126 - 6th St.
Joseph Horne Co., Magazine Dept.
Kaufmann Dept. Store, Inc., Dept. 62, Fifth Ave.
Reading: W. F. Drehs, 341 Court St.
Scranton: Houser's, 133 N. Main Ave.
Wallace & Cook, Inc., 2-5 N. Washington Ave.
Scranton Home Movies Library, 316 N. Washington Ave.
Shamokin: Jones Hardware Co., 115 E. Independence St.
Wilkes Barre: Ralph DeWitt, 2 South River St.
Windber: New Arts Feature, 508 - 15th St.
York: Sweitzer's Photo Service Shop, 278 W. Market St.

RHODE ISLAND

Pawtucket: Thomas N. Simpson, Broadway & Exchange Sts.
Providence: E. P. Anthony, Inc., 178 Angell St.
Starkweather & Williams, Inc., 47 Exchange Pl.
Westcott, Slade & Balcom Co., 95-99 Empire St.

TENNESSEE

Jackson: Southern Pictures Corp.
Knoxville: Jim Thompson Co., 415 W. Church St.
Memphis: Memphis Photo Supply Co., 122 Union Ave.
Nashville: Geo. C. Dury Co., 420 Union St.

TEXAS

Ablene: W. C. Cosby, 249 Pine St.
Dallas: Jamieson Film Laboratories, 2212 Live Oak St.
E. G. Marlow Co., 1610 Main St.
Fort Worth: The Camera Shop, Inc., 133 W. Sixth St.
Houston: C. Lord Optical Co., 704 Main St.
Chas. Star Elec. & Eng. Co., Inc., 613 Fannin St.
San Antonio: Fox Co., 209 Alamo Plaza.

UTAH

Salt Lake City: Eastman Kodak Stores, Inc., 315 S. Main St.

VIRGINIA

Norfolk: G. L. Hall Optical Co., 257 Granby St.
Richmond: G. L. Hall Optical Co., 418 E. Grace St.

VERMONT

Burlington: C. W. La Pierre's, 71 Church St.

WASHINGTON

Bellingham: Clyde Banks, 119 W. Holly St.
(Continued on Page 342)

bers for operating two delivery reels and two takeup reels, means for operating said machine with said two delivery reels and said two takeup reels for simultaneously editing the picture record and accompanying sound record of separate films, said picture record film being routed from one of said delivery reels through a film guide and picture framing mask under said picture viewing lens and over guide rollers individual to said film to one of said takeup reels, said sound record film being routed from a second of said delivery reels over guide rollers individual to said film through a sound translating position in said sound reproducing unit to a second of said takeup reels and means for operating said machine with one of said delivery reels and one of said takeup reels for simultaneously editing the picture record and accompanying sound record of a film having both said records thereon, said single film being routed from said delivery reel through said picture guide and picture framing mask under said picture viewing lens and through said sound

translating position in said sound reproducing unit to said takeup reel.

1,931,128. Film Printing Machine. Arthur J. Bradford, Detroit, Mich., assignor to General Electric Company. Aperture presetting apparatus for a film printing machine comprising an aperture varying member, means for retaining said member against movement, a pair of resilient members between the aperture varying member and the retaining means having initial tension and tending to rotate the aperture varying member respectively in opposite directions, a presetting member arranged to increase the tension of the respective resilient members when moved in opposite directions and means controlled by the film for releasing said retaining means.

Mechanics of 16mm Titles

(Continued from Page 324)

you are handling a long strip, a drying drum is a necessity to avoid badly "frozen" bends in the film.

Skill of the workman has much to do with the success of any process, and more particularly with the manipulation of motion picture film. But if you have been careful up to this point, and the film dries in a dust free room, it should turn out clean, except the celluloid side may be streaked with water spots. These streaks will readily yield to alcohol. Dampen a bit of chamois in alcohol and go over the entire film. This manipulation is better done on a drum, but you can put down a few layers of cheese cloth on a board, and thumb tack each end of the title to the board. This will furnish a solid base for wiping.

Dirt, grease or finger prints may be removed from the emulsion side with carbon tetrachloride, or any of the many preparations sold for this purpose. Use a similar procedure, though be more careful of the wiping action, using a piece of plush. I find the little plush pads sold in the dime stores for the application of face powder to be ideal for this purpose.

Painstaking care from first to last is the prime consideration. A little time spent in testing may save much fruitless effort. There is nothing in this world that one man can do that another cannot do better having the former's experience as a starting point—so godspeed.

CAMERA CRAFT



A MONTHLY MAGAZINE
OF PHOTOGRAPHY

William A. Palmer is Editor of our new Cinema Department. He is an ardent amateur who knows his hobby from A to Z.

Send your movie problems to him.

SEND 10 CENTS
FOR
A LATE COPY

CAMERA CRAFT
PUBLISHING COMPANY

703 Market Street
San Francisco, California



A Symbol

THE Yule log—symbol of Christmas through the ages. On the great holiday the lord of the manor threw wide the doors, and misery and squalor were forgotten in the cheer of the boar's head and was-sail.

Customs change, but the Christmas spirit is ageless. Today millions express it by the purchase of Christmas Seals—the penny stickers that fight tuberculosis—still the greatest public health problem. Your pennies will help.



BUY CHRISTMAS SEALS

MAX FACTOR'S MAKE-UP

MAX FACTOR MAKE-UP STUDIOS
HOLLYWOOD • CALIFORNIA

Used in 96%
of the studios
of the world

American Cinematographer Now \$2.50
a Year

(Continued from Page 340)

Pullman: Graves Studio.
 Seattle: Anderson Supply Co., 111 Cherry St.
 Eastman Kodak Stores, Inc., 1415 - 4th Ave.
 Lowman & Hanford Co., 1514 - 3rd Ave.
 Spokane: John W. Graham & Co., Dept. C, 707
 Sprague Ave.
 Joyner Drug Co., Howard & Riverside Ave.
 Tacoma: Eastman Kodak Stores, Inc., 910
 Broadway.
 Walla Walla: Book Nook Drug & Stationery
 Store.

WEST VIRGINIA

Wheeling: Twelfth St. Garage, 81 - 12th St.

WISCONSIN

Fond du Lac: Huber Bros., 36 S. Main St.
 La Crosse: Moon Photo Service, 313 Main St.
 Madison: Photoart House, 212 State St.
 Milwaukee: Eastman Kodak Stores, Inc., 737
 N. Milwaukee St.
 Boston Store, Wisconsin Ave. & 4th St.
 W. E. Brown, 327 W. National Ave.
 Gimbel Bros., E. Wisconsin & N. Plankin-
 ton.
 Roe Meuer, The, 226 West Wells St.
 Phillips: Jakoubek's, 132 N. Lake Ave.
 Racine: Photo-Crafts Shop, 226 College Ave.

AUSTRALIA

Melbourne: McGills Agency, 179-218 Eliza-
 berth St.

CHINA

Canton: International Book Co., 269 North
 Wing Hon Road.

ENGLAND

London: J. H. Dallmeyer, Ltd., 31 Mortimer
 St. and Oxford St. W. I.

HAWAII

Honolulu: Eastman Kodak Stores, 1059 Fort
 St.

INDIA

Bombay: Continental Photo Stores, 255 Hornby
 Road.
 P. C. Eraneer Sons, Albert Bldgs., Hornby
 Road.
 Calcutta: Photographic Stores & Agency Co.,
 154 Dhuramtoila St.
 M. L. Shaw, 5/1 Dhuramtoila St.
 Lucknow: Lucknow Commercial Co., 25 Aminab-
 bad Park.

MEXICO

American Photo Supply Co. S.A., Av. F. I.,
 Madero, 43, Mexico, D.F.

POLAND

Warsaw: Polska Agencja Prasy Filmowej
 Wspolna 35.

SOUTH AMERICA

Buenos Aires: Argentine Rep., Casa America
 Ltda. S. A. Avenida de Mayo 959.

Photography of the Month

(Continued from Page 316)

some effects were obtained—while the public at large will surely be completely mystified). Under such conditions it is obvious that Cinematographer Edeson worked under many restrictions, so while the film does not by any means represent his best work, he is heartily to be commended for his achievement. Mr. Fulton deserves an orchid for his work

8mm Picture Ranks High

(Continued from Page 321)

tains many effects which were undoubtedly secured with one of the more modern cameras. However, it was a very close tussle between him and W. J. See-
 man's offering, "Prairie Schooner," which was also dotted with effective wipes and fades, but in addition was tinted and

Classified Advertising

Rates: Seven cents a word. Minimum charge,
 one dollar per insertion.

FOR RENT—MISCELLANEOUS

FOR RENT—Mitchell Motor, 25 M.M. Lenses,
 1000 feet Mitchell Magazines, Baby Tripod.
 J. R. Lockwood, Glendale, Phone Douglas
 3361-W.

FOR RENT—Mitchell high speed gear box
 complete. Pliny Horne, 1318 N. Stanley.
 HO-7682 or HO-9431.

FOR SALE OR RENT

FOR SALE OR RENT—Mitchells, Bell & How-
 ells, Akeley, Eyemoss, DeVrys cameras, mo-
 tors, graflexes, still cameras, etc. Reis &
 Fitzpatrick, 1557 N. Vine St., Hollywood,
 Calif. Phone Gladstone 1521.

FOR SALE OR RENT—Mitchell and Bell &
 Howell silenced cameras, follow focus Pan
 lenses, free head, corrected new aperture.
 Akeley, DeBrie, Pathe, Universal, Prevost,
 Willard, DeVry, Eyemo, Sept, Leica. Motors,
 Printers, lighting equipment. Bell & Howell
 Cameras with old type shutters, silenced,
 \$150.00. Also every variety of 16mm and
 still cameras and projectors. Everything
 photographic bought, sold, rented and re-
 paired. Send for our bargain catalogue.
 Hollywood Camera Exchange, 1600 Cahuenga
 Blvd. Phone: HO-3651; Cable address
 HOCAMEX.

FOR RENT—CAMERAS

FOR RENT—Two complete Mitchell Camera
 Equipments with Fearless Educational Blimps,
 and Perambulator. J. Burgi Conter, 723
 Seventh Ave., New York City.

FOR RENT—Thoroughly silenced Mitchell cam-
 eras, Pan Astro lenses, follow focus. J. R.
 Lockwood, Glendale. Douglas 3361-W.

FOR SALE—CAMERAS

FOR SALE—Real bargains in 16 and 35mm
 movie equipment and still cameras, newest
 types cameras and projectors in all popular
 makes. Save money on film, lights, lenses
 and all essential accessories. Our 36 years
 of experience stands back of every sale.
 Before you buy, send for our new bargain
 booklet. Burke & James, Inc., 223 W.
 Madison St., Chicago.

FOR SALE—Speed turret model Eyemo
 Camera equipped with 47mm F. 2.5, 3 1/2 in.
 F. 3.3 and 6 in. F.45 Cook lenses. Reis &
 Fitzpatrick, 1557 N. Vine St., Hollywood,
 Calif.

FOR SALE—Bell & Howell, Eastman, Victor 16
 mm Cameras and Projectors. Reis & Fitz-
 patrick 1557 N. Vine St., Hollywood, Calif.

FOR SALE—New 70D-A Bell & Howell 16mm
 Camera, Brown model. P.O. Box 1204 Ar-
 cade Station, Los Angeles, Calif.

FOR SALE—Bell & Howell adapter for Mitchell
 Tripod head, 40-50-75-M.M. Astro lenses
 mounted and unmounted, Mitchell tripod
 head, Mitchell matte box. J. R. Lockwood,
 523 N. Orange St., Glendale, Calif. Dou-
 glas 3361-W.

toned. This also employed his young-
 sters in a very interesting and well pho-
 tographed story.

Voss's Kodacolor "Gold Diggers" was
 an interesting study of several sour
 doughs out after the elusive shiny grains.
 Voss handled his camera in an interest-
 ing fashion on this subject.

Leslie P. Thatcher offered a well edit-
 ed picture in "Mighty Niagara" with a
 preponderance of good photography.

FOR SALE—CAMERAS

FOR SALE—35 MM. Pathe Studio Camera, 1
 f:3.5 Krauss Tessar, carrying case; three
 magazines, \$100. Universal Tripod with
 carrying-case, \$75. Box S, American Cine-
 matographer, 1222 Guaranty Bldg., Hollywood.

AKELLEY CAMERA—Practically new, rebuilt for
 color; 40mm. and 50mm. lenses, 10 mag-
 azines; cases, Tripod, etc. Cost \$5,000—will
 sell for \$1,250. Box R.W.S. care American
 Cinematographer.

FOR SALE—MISCELLANEOUS

FOR SALE—Like new, B & H 5-way Sound
 Printer, also Cinex Light Tester, Mole Rich-
 ardson Dolly and Blimp, Model D Movieola.
 Cheap for cash. Box H. C., American Cine-
 matographer.

FOR SALE—Akeley Gyro Tripod, set Cooke
 f:2.5 lenses in B & H. mounts, miscellane-
 ous accessories for Bell & Howell and Mit-
 chells. J. Burgi Conter, 723 Seventh Ave.,
 New York City.

BLIMPS FOR SALE—Two celluloid blimps same
 used by Warner Bros. Studios. Focus change
 is built in; blimps accommodate Mitchell
 cameras; blimp weighs only 55 lbs. and can
 be used on regular Mitchell tilt head or
 friction head for shooting interior or ex-
 terior. Chas. M. Glouner, 11160 La Maida
 St., N. Hollywood, Calif.

FOR SALE—Two DeVry Cinetone Sound Pro-
 jectors, list price \$500; special \$75; Tono-
 graph Projector with turntable, special
 \$27.50; slightly used 100 foot subjects, spe-
 cial \$2.00. Harry's Camera Shop, 317 W.
 50th St., New York.

XMAS BARGAINS—Nationally advertised 16
 mm. movie cameras and projectors for every
 purse and purpose. Cash and terms. Lit-
 erature free. D. Elder, Dept. Y-2, Chelsea,
 Mass.

WANTED

WANTED—6 or 6 1/2 in. B & L Dallmeyer Lens
 with plano-convex finding lens for Akeley.
 Must be bargain. Arthur Rossi, 46 Farragut
 Ave., Providence, R. I.

WANTED—16mm, silent films of curiosity,
 historical, early events in movies, thrill, and
 other out of ordinary films. E. Sullivan,
 3939 Flad, St. Louis, Mo.

WANTED—Someone to finance development
 of a practical 3 color separation camera and
 printing process. Box G. A., care American
 Cinematographer.

WANTED—Motor adapter. J. R. Lockwood,
 Glendale. Douglas 3361-W.

WANTED—Mitchell High Speed Silent Camera,
 box only, without equipment. Must be
 cheap for cash. Box 140, American Cine-
 matographer.

WANTED—Leica Camera and model good
 condition. Cheap. Box C, c-o American
 Cinematographer, 6331 Hollywood Blvd.,
 Hollywood, Calif.

You want The Cinematograph Annual

Dr. McAfee presented a technical sub-
 ject in a manner that was interesting to
 the layman as well as the dentist. His
 photography was consistent and his con-
 tinuity thorough.

Charles and Robert Coles showed a
 fine knowledge of the use of filters in
 their twin subject, "Cascade and World's
 Fair." Also they showed a grasp of
 composition and camera angles that was
 refreshing.

It's A Genuine ACHIEVEMENT

... There is no doubt on that point in the minds of the cameramen who are using Eastman Background Negative. In its amazingly fine-grained emulsion they find the perfected medium for their composite shots. They benefit, also by a speed seldom found in the presence of such minute grain... This Eastman film achievement is a challenge and a promise to every enterprising cinematographer. Nothing would please us more than to work with you in your exploitation of it.

J. E. BRULATOUR, Inc.


New York

Chicago

Hollywood

EASTMAN
Background Negative

PHOTOGRAPHIC QUALITY
is
PARAMOUNT
AND
SPEED is
ESSENTIAL



Directors of Photography
Can Render Both, Only
With the Best and Most
Efficient Equipment.



MITCHELL CAMERA CORPORATION

665 N. ROBERTSON BOULEVARD
WEST HOLLYWOOD, CALIF.

Cable Address 'MITCAMCO'

Phone OXford 1051